| ABSOCIATION CONNECTING<br>ELECTROMICS INDUSTRIES®<br>international and | <b>position De</b><br>5. IPC, Bannockt<br>Pan-American co | c <b>laration</b><br>ourn, Illinois. A<br>opyright conver | Il rights reserved u ntions. | nder both | This docume<br>level parts, t                                      | ent is a declaration he declaration er | on of the substand<br>acompasses all lo | ees within the mar<br>wer level material | nufacturer liste<br>ls for which the | d item. Note: if<br>e manufacturer | the item is an as has engineering | ssembly with low responsibility. |  |
|--|---|---|------------------------------|-----------|--|--|---|--|--------------------------------------|------------------------------------|-----------------------------------|----------------------------------|--|
|  | IPC Web Site for Information on IPC-1752 Standard Form Ty |   |                              |           | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |  |   |  | Materials and                        | als and Mfg Information            |                                   |                                  |  |
| upplier Information  |   |   |                              |           |  |  |   |  |                                      |                                    |                                   |                                  |  |
| ompany name*   | Company un  | Company unique ID   |                              |           | Unique ID Authority  |  |   |  | Response Date*                       |                                    |                                   |                                  |  |
| nsemi  |   |   |                              |           |  |  |   |  | 2025-06-06                           |                                    |                                   |                                  |  |
| Contact Name Title - C   |   |   | tle - Contact                |           |  | Phone - Contact*                       |   |  |                                      | Email - Contact*                   |                                   |                                  |  |
| Product-Env-Stewards   | Product Enviro Compliance                                 |   |                              |           | NA   |  |   |  | Product-Env-Stewards@onsemi.com      |                                    |                                   |                                  |  |
| Authorized Representative* Ti  |   |   | Title - Representative       |           |  | Phone - Representative*                |   |  | Emai                                 | Email - Representative*            |                                   |                                  |  |
| roduct-Env-Stewards  | Product Enviro Compliance                                 |   |                              |           | NA   |  |   | Prod                                     | Product-Env-Stewards@onsemi.com      |                                    |                                   |                                  |  |
| Requester Item Number  |   |   |                              |           |  | Effective Date                         | Version                                 | Manufacturing                            | Site                                 | Weight*                            | UOM                               | Unit Type                        |  |
|  | FQP13N  | QP13N06L QF 60V 110mOhm                                   |                              | m L TO220 |  | 2025-06-06                             | СРА                                     |  |                                      | 2030.181                           | mg                                | Each                             |  |
| Ianufacturing Proccess Inform  | nation  |   |                              |           |  |  | -                                       |  |                                      |                                    |                                   | ·                                |  |
| Terminal Plating / Grid Array  | Terminal Plating / Grid Array Material Terminal B         |   | Alloy J-STD-020 MSL F        |           | L Rating   | Peak Proce                             | Peak Process Body Temperature Ma        |  | at Peak Tempe                        | rature Numb                        | er of Reflow Cy                   | cles                             |  |
| Matte Tin (Sn) - annealed  |   | CU Alloy NA   |                              |           | 0 C  |  | 30                                      | sec                                      | conds 3                              |                                    |                                   |                                  |  |
| omments  |   |   |                              |           |  |  |   |  |                                      |                                    |                                   |                                  |  |
|  |   |   |                              |           |  |  |   |  |                                      |                                    |                                   |                                  |  |
| or more information regarding mater                                    | ial composition   | please refer to   | page 3                       |           |  |  |   |  |                                      |                                    |                                   |                                  |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *  | Detailed  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |
| cadmium, hexavalentchromium, polybromina<br>contains a RoHS restricted substance inexces<br>encompass all such components. Supplier cer<br>as of the date that Supplier completes this for<br>Company acknowledges that Supplier may h<br>independently verified information provided<br>certification in this paragraph. If the Company | ated biphenyls and/or polybrominated dip<br>s of an applicable quantity limit, please in<br>ifies that it gathered the information it pr<br>m.Supplier acknowledges that Company<br>ave relied on informationprovided by oth<br>by others, Supplier agrees that, at a minir<br>and the Supplier enter into a written agr<br>esource of the Supplier's liability and the  | henyl ethers (each a "RoHS restricted substa<br>ndicate below which, if any, RoHS exemption<br>ovides in this form using appropriate methoo<br>will rely on this certification in determining<br>ers in completing this form, and that Supplie<br>num, itssuppliers have provided certification<br>eement with respect to the identified part, the<br>Company's remedies for issues that arise reg | nce") in exco<br>n you believe<br>ls to ensure i<br>the compliar<br>r may not ha<br>s regarding t<br>terms and co | e may apply. If the part is an assembly with low<br>s accuracy and that such information is true an<br>ce of its products with European Union member<br>de independently verified such information. Ho<br>neir contributions to the part, and those certifica | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>d correct to the best of its knowledge and belief,<br>er state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>ations are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |
| RoHS Declaration * 4 - Item(   | s) does not contain RoHS restricted subst  | ances per the definition above except for sele   | ected exempt  | ions Supplier Acceptance  | * Accepted  |  |  |  |  |  |
| Exemption: 7a: Lead in high melting temp   | erature type solders (i.e. lead based sol  | der alloys containing 85% by weight or m   | ore lead).  |   |   |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |
| Instructions: Complete all of the required<br>Requester) and click on Submit Form to h   |  |  | e drop-dowi   | a. This will display the signature area. Digita   | lly sign the declaration (if required by the  |  |  |  |  |  |
| Supplier Digital Signature   | astislav Drska   | Le   |   |   |   |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| sigma range of distribution unless | otherwise noted). |                 |          |                            |                  |        |          |                 |
|------------------------------------|-------------------|-----------------|----------|----------------------------|------------------|--------|----------|-----------------|
| Homogeneous Material               | Weight            | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight   | Unit of Measure |
| Die                                | 2.81              | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 2.81     | mg              |
| Die Attach Solder                  | 1.111             | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.0278   | mg              |
|                                    |                   |                 | А        | Lead (Pb)                  | 7439-92-1        | 7a     | 1.0277   | mg              |
|                                    |                   |                 | Supplier | Tin (Sn)                   | 7440-31-5        |        | 0.0555   | mg              |
| Lead Frame                         | 1492.12           | mg              | В        | Nickel (Ni)                | 7440-02-0        |        | 0.1492   | mg              |
|                                    |                   |                 | Supplier | Iron (Fe)                  | 7439-89-6        |        | 1.4921   | mg              |
|                                    |                   |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 1490.031 | mg              |
|                                    |                   |                 | Supplier | Phosphorus (P)             | 7723-14-0        |        | 0.4476   | mg              |
| Mold Compound-Black                | 518.4             | mg              |          | Proprietary                | proprietary data |        | 25.92    | mg              |
|                                    |                   |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 2.592    | mg              |
|                                    |                   |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 386.208  | mg              |
|                                    |                   |                 | Supplier | Ortho-Cresol Novolac Resin | 29690-82-2       |        | 77.76    | mg              |
|                                    |                   |                 | Supplier | Phenolic Resin (Novolac)   | 9003-35-4        |        | 25.92    | mg              |
| Plating                            | 13.3              | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 13.3     | mg              |
| Wire Bond - Al                     | 2.44              | mg              | Supplier | Aluminum (Al)              | 7429-90-5        |        | 2.44     | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).