ASSOCIATION CONNECTING LECTROMICS INDUSTRIES	ourn, Illinois, All	l rights reserved un ions.	nder both	This docume level parts, t	ent is a declaration er	n of the substa compasses all	nces within the manufactor lower level materials for	urer listed which the 1	item. Note: if nanufacturer	the item is an as has engineering	sembly with lower responsibility.	
.752-21.1 IPC Web Site for Information on Interp://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information					on			
Supplier Information												
Company name* Company unique ID				Unique ID Authority				Response Date*				
nsemi									2024-04-23			
Contact Name	t Name Title - Contact				Phone - Contact*				Email - Contact*			
roduct-Env-Stewards Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
uthorized Representative* Title - Representative				Phone - Representative*				Email -	Email - Representative*			
Product-Env-Stewards Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Iten	Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
FQTING	N60CTF-WS QFC 600V 11.50hm		m SOT223		2024-04-23		KR3		118.973	mg	Each	
Manufacturing Proccess Information												
Terminal Plating / Grid Array Material	Cerminal Plating / Grid Array Material Terminal Base Alloy J-STI		-STD-020 MSL	Rating	Peak Proce	ss Body Tempe	erature Max Time at Pea	k Tempera	ture Numbe	er of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU Alloy 1					250	C	30	secon	nds 3			
Comments												
evel 1 - maximum time at peak temperature during so	ldering is 10-30	seconds										
For more information regarding material composition	please refer to 1	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl ohthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, admium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part ontains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall ncompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, is of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the complicace of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others, supplier shave provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the ertification in this paragraph. If the Company and the Supplier into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of has agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the varranty rights and/or remedies of Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.54	mg	Supplier	Silicon (Si)	7440-21-3		1.54	mg
Die Attach	0.541	mg	Supplier	Silver (Ag)	7440-22-4		0.0081	mg
			А	Lead (Pb)	7439-92-1	7a	0.5058	mg
			Supplier	Tin (Sn)	7440-31-5		0.0271	mg
Lead Frame	66.944	mg	Supplier	Silver (Ag)	7440-22-4		0.234	mg
			Supplier	Zinc (Zn)	7440-66-6		0.08	mg
			Supplier	Iron (Fe)	7439-89-6		1.61	mg
			Supplier	Copper (Cu)	7440-50-8		65	mg
			Supplier	Phosphorus (P)	7723-14-0		0.02	mg
Mold Compound-Black	41.108	mg	Supplier	2,2'-[(1-Methylethylidene)bis[(dibromo- 4,1- phenylene)oxymethylene]]bis[oxirane]- 4,4'-(1-methylethylidene)bis[2,6- dibromopheno]] copolymer	68928-70-1		0.6166	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		0.8222	mg
			Supplier	Carbon Black (C)	1333-86-4		0.2055	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		30.831	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		4.5219	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		3.2886	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.8222	mg
Plating	8.29	mg	Supplier	Tin (Sn)	7440-31-5		8.29	mg
Wire Bond - Au	0.55	mg	Supplier	Gold (Au)	7440-57-5		0.55	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).