ASEDICIATION CONNECTING ELECTRONICS INDUSTRIES	<b>mposition De</b> 05. IPC, Bannockt d Pan-American co	claration ourn, Illinois. A opyright conver	Il rights reserved untions.	under both	This docume level parts, th	ent is a declaration er	on of the substance acompasses all lo	es within the ma wer level materi	anufacturer li als for which	sted item. Note: i the manufacture	f the item is an as has engineering	ssembly with low responsibility.	
	1 IPC Web Site for Information on IPC-1752 Standard Form Ty			Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				is Materials a	als and Mfg Information			
upplier Information													
ompany name*	Company unique ID			ι	Unique ID Authority				Response Date*				
nsemi									2024-04-25				
Contact Name Title -			Fitle - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorized Representative*	Title - Representative			1	Phone - Representative*			En	Email - Representative*				
roduct-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Iten		n Number Mfr Item Name				Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FQU5N:	FQU5N50CTU-WS QFC 500V 1.		ohm IPAK		2024-04-25		СРА		383.558	mg	Each	
Ianufacturing Proccess Info	mation						-			·			
Terminal Plating / Grid Arra	Terminal Plating / Grid Array Material Terminal Bas		Alloy J-STD-020 MSL Rat		Rating	Peak Process Body Temperature Max Time a		e at Peak Ten	ak Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed		CU Alloy NA			0 C 30			seconds 3					
omments													
or more information regarding mat	erial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	oHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	5.93	mg	Supplier	Silicon (Si)	7440-21-3		5.93	mg	
Die Attach Solder	2.351	mg	Supplier	Silver (Ag)	7440-22-4		0.0588	mg	
			А	Lead (Pb)	7439-92-1	7a	2.1747	mg	
			Supplier	Tin (Sn)	7440-31-5		0.1176	mg	
Lead Frame	235.307	mg	В	Nickel (Ni)	7440-02-0		0.001	mg	
			Supplier	Iron (Fe)	7439-89-6		0.235	mg	
			Supplier	Copper (Cu)	7440-50-8		234.9999	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.071	mg	
Mold Compound-Black	129.0	mg		Epoxy resin	proprietary data		7.74	mg	
			Supplier	Phenolic Resin	Proprietary Data		7.74	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.645	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		109.65	mg	
			Supplier	Silica Crystalline (SiO2)	14808-60-7		3.225	mg	
Plating	8.53	mg	Supplier	Tin (Sn)	7440-31-5		8.53	mg	
Wire Bond - Al	2.44	mg	Supplier	Aluminum (Al)	7429-90-5		2.44	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).