ABBOCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pa	IPC, Bannock	burn, Illinois. A	Il rights reserved untions.	nder both	This docume level parts, t	ent is a declar the declaratio	ration on encor	of the substan mpasses all le	nces wit ower le	hin the manufaction was the manufaction of the materials for the materials for the materials for the manufaction of the manufac	cturer listed is the result of	item. N nanufa	Note: if th acturer ha	ne item is an as as engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					terials and N	ials and Mfg Information				
Supplier Information																
Company name* Company univ			lique ID Uni			Unique ID Authority					Respon	Response Date*				
onsemi											2024-04	2024-04-17				
Contact Name Title - Contact				Pho			Phone - Contact*					Email - Contact*				
Product-Env-Stewards Product E			oduct Enviro Compliance			NA					Produc	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title			Title - Representative			Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards		Product Enviro Compliance				NA				Produc	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Item Number		Jumber Mfr Item Name			Effective Date Version Manufacturing Site			Weigh	nt*	UOM	Unit Type				
	FSA225	FSA2257MUX Dual SPDT		'Analog Switch		2024-04-17			CNS	CNS		25.8		mg	Each	
Ianufacturing Proccess Informa	ation													1	I	
Terminal Plating / Grid Array M	Iaterial '	Terminal Base A	Alloy	STD-020 MSL Rating		Peak Process Body		Body Temper	emperature Max Time at Peak		ak Tempera	Temperature Number		of Reflow Cyc	cles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С		30		nds	3			
omments																
vel 1 - maximum time at peak temperat	ure during so	ldering is 10-3	0 seconds													
or more information regarding materia	l composition	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	1.35	mg	Supplier	Silicon (Si)	7440-21-3		1.35	mg		
Die Attach	0.33	mg	Supplier	Silver (Ag)	7440-22-4		0.2591	mg		
			Supplier	Phenolic Resin-2	54208-63-8		0.071	mg		
Lead Frame	2.0024	mg	Supplier	Zinc (Zn)	7440-66-6		0.0022	mg		
			Supplier	Iron (Fe)	7439-89-6		0.0522	mg		
			Supplier	Copper (Cu)	7440-50-8		1.9436	mg		
			Supplier	Phosphorus (P)	7723-14-0		0.0044	mg		
Mold Compound-Black	12.3	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.23	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.123	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		10.947	mg		
Plating	0.0176	mg	Supplier	Palladium (Pd)	7440-05-3		0.0006	mg		
			В	Nickel (Ni)	7440-02-0		0.0168	mg		
			Supplier	Gold (Au)	7440-57-5		0.0002	mg		
Wire Bond - Au	9.8	mg	Supplier	Gold (Au)	7440-57-5		9.8	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).