IPC ASSOCIATION ELECTRONIC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under to international and Pan-American copyright conventions.				nder both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ. http://www.ipc.org/IPC-175x Distribute				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and Mfg Information				
Supplie	r Information														
Company name*				Company unique ID			Unique ID Authority					Response Date*			
onsemi												2024-05-02			
Contact N	Jame	Title - Contact			1	Phone - Contact*				Email - Contact*					
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorize	ed Representative*	Title - Representative]	Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Da	Date Version Manufacturing Site		ring Site	V	Veight*	UOM	Unit Type	
		FSB5025	50AT	SPM5 V2 INV 500V 3.80hm			2024-05-02			СРА		3	214.74	mg	Each
Manufa	cturing Proccess Informat	tion													,
	Terminal Plating / Grid Array Material Term		erminal Base Alloy J-STD-020 MSI		Rating	Peak Pro	Peak Process Body Temperatu		re Max T	ime at Peak	Temperatu	ire Numb	ber of Reflow Cyc	eles	
	Matte Tin (Sn) - annealed		CU Alloy NA		JA.		0	0 C		30 seco		secono	ls 3		
omments	3									·					
										·					
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed							
Priective 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	astislav Drska	-En									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	20.5	mg	Supplier	Silicon (Si)	7440-21-3		20.5	mg
Die Attach	1.3	mg	Supplier	Silver (Ag)	7440-22-4		0.988	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.312	mg
Die Attach Solder	4.0	mg	Supplier	Silver (Ag)	7440-22-4		0.1	mg
			A	Lead (Pb)	7439-92-1	7a	3.7	mg
			Supplier	Tin (Sn)	7440-31-5		0.2	mg
Lead Frame	1351.45	mg	Supplier	Silver (Ag)	7440-22-4		19.7	mg
			Supplier	Iron (Fe)	7439-89-6		1.35	mg
			Supplier	Copper (Cu)	7440-50-8		1329.9956	mg
			Supplier	Phosphorus (P)	7723-14-0		0.4044	mg
Mold Compound-Black	1822.19	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		264.0007	mg
			Supplier	Carbon Black (C)	1333-86-4		8.19	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1549.9993	mg
Plating	13.8	mg	Supplier	Tin (Sn)	7440-31-5		13.8	mg
Wire Bond - Cu	1.5	mg	Supplier	Palladium (Pd)	7440-05-3		0.03	mg
			Supplier	Copper (Cu)	7440-50-8		1.47	mg