	Material Compo © Copyright 2005. II international and Pan	PC, Bannockb	ourn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, th	ent is a declaration	tion of t encomp	the substance passes all low	s within the er level ma	e manufactur terials for wl	er listed it hich the m	em. Note: anufacture	if the item is an as er has engineering	ssembly with lowe responsibility.
1752-21.1					Form Type Distribute	<ul> <li>Declaration Class *</li> <li>Class 6 - RoHS Yes/No, Homogeneous Mater</li> </ul>					als and Mfg Information				
Supplie	r Information														
Company name* Compa				ompany unique ID			Unique ID Authority					Response Date*			
nsemi											2024-05-03				
Contact N	lame	Title - Contact			]	Phone - Contact*				Email - Contact*					
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorize	ed Representative*		Title - Representative			]	Phone - Representative*				Email - Representative*				
Product-	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number     Mfr Item Num       FSB50450B		Number Mfr Item Name			·	Effective Date	Pe Date Version Manufacturing Sit		ring Site	V	Veight*	UOM	Unit Type	
			50B	SPM5 INV 500V 3.80hm			2024-05-03 CPA			3355.2		mg	Each		
/Ianufa	cturing Proccess Informat	tion													
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 N		J-STD-020 MS	L Rating	Peak Process Body Temper		dy Temperatu	ture Max Time at Peak T		Temperati	are Num	ber of Reflow Cyc	cles
Matte Tin (Sn) - annealed		U Alloy NA			0 C		30		second	is 3					
omments	3														
or more	information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	HS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead b), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl thalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature	astislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	24.0	mg	Supplier	Silicon (Si)	7440-21-3		24	mg
Die Attach	6.0	mg	Supplier	Silver (Ag)	7440-22-4		4.56	mg
			Supplier	Phenolic Resin-2	54208-63-8		1.44	mg
Die Attach Solder	4.8	mg	Supplier	Silver (Ag)	7440-22-4		0.12	mg
			А	Lead (Pb)	7439-92-1	7a	4.44	mg
			Supplier	Tin (Sn)	7440-31-5		0.24	mg
Lead Frame	1370.0	mg	Supplier	Silver (Ag)	7440-22-4		20.002	mg
			В	Nickel (Ni)	7440-02-0		30.003	mg
			Supplier	Iron (Fe)	7439-89-6		1.37	mg
			Supplier	Copper (Cu)	7440-50-8		1318.214	mg
			Supplier	Phosphorus (P)	7723-14-0		0.411	mg
Mold Compound-Black	1890.0	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		132.3	mg
			Supplier	Carbon Black (C)	1333-86-4		18.9	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		661.5	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		132.3	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		945	mg
Plating	56.4	mg	Supplier	Tin (Sn)	7440-31-5		56.4	mg
Wire Bond - Cu	4.0	mg	Supplier	Palladium (Pd)	7440-05-3		0.08	mg
			Supplier	Copper (Cu)	7440-50-8		3.92	mg