ASSOCIATION CONNECTING ALECTRONICS INDUSTRIES	omposition De 005. IPC, Bannockt nd Pan-American co	claration ourn, Illinois. A opyright conver	All rights reserved u ntions.	nder both	This docume level parts, th	ent is a declaration en declaration	on of the substan	ces within the man ower level materia	nufacturer liste ls for which th	ed item. Note: if e manufacturer	the item is an as has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				Materials and	ials and Mfg Information			
upplier Information													
Company name*			Company unique ID			Unique ID Authority				Response Date*			
nsemi									2024-04-20				
Contact Name Title -			Fitle - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Titl			Title - Representative			Phone - Representative*			Ema	Email - Representative*			
roduct-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number			Jumber Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	FSBB30	FSBB30CH60CT SPM3V_V4 IN		600V 30A LC		2024-04-20		СРА		17342.395	mg	Each	
Ianufacturing Proccess Info	rmation												
Terminal Plating / Grid Arr	Terminal Plating / Grid Array Material Terminal H		e Alloy J-STD-020 MSL R		Rating	Peak Process Body Temperature Max		ature Max Time	at Peak Tempe	erature Numb	er of Reflow Cy	cles	
Matte Tin (Sn) - annealed		CU Alloy NA			0 C 30		se	seconds 3					
omments													
or more information regarding ma	terial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).							
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature	astislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	67.7	mg	Supplier	Silicon (Si)	7440-21-3		67.7	mg
Die Attach	31.399	mg	Supplier	Silver (Ag)	7440-22-4		0.942	mg
			Supplier	Tin (Sn)	7440-31-5		30.3	mg
			Supplier	Copper (Cu)	7440-50-8		0.157	mg
Die Attach Epoxy	0.495	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0148	mg
			Supplier	Miscellaneous	Trade Secret		0.0247	mg
			Supplier	Silver (Ag)	7440-22-4		0.4208	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0346	mg
Die Attach Solder	9.701	mg	Supplier	Silver (Ag)	7440-22-4		0.2425	mg
			А	Lead (Pb)	7439-92-1	7a	8.9734	mg
			Supplier	Tin (Sn)	7440-31-5		0.4851	mg
Heat Sink	2720.0	mg	Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		979.2	mg
			Supplier	Copper (Cu)	7440-50-8		1740.7999	mg
Lead Frame	4318.38	mg	Supplier	Silver (Ag)	7440-22-4		1.47	mg
			Supplier	Iron (Fe)	7439-89-6		5.18	mg
			Supplier	Copper (Cu)	7440-50-8		4309.998	mg
			Supplier	Phosphorus (P)	7723-14-0		1.73	mg
Mold Compound-Black	10122.0	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		606.0001	mg
			Supplier	Carbon Black (C)	1333-86-4		101.22	mg
			Supplier	Silica (SiO2)	14464-46-1		8808.7822	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		605.9981	mg
Plating	53.3	mg	Supplier	Tin (Sn)	7440-31-5		53.3	mg
Wire Bond - Al	18.3	mg	Supplier	Aluminum (Al)	7429-90-5		18.3	mg
Wire Bond - Cu	1.12	mg	Supplier	Palladium (Pd)	7440-05-3		0.0224	mg
			Supplier	Copper (Cu)	7440-50-8		1.0976	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).