Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
IPC Web Site for Information on http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Type			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and Mfg Information			
Supplier Information											
Company name*		Unique ID Authority			Response Date*	Response Date*					
nsemi						2024-04-23	2024-04-23				
Contact Name		Phone - Contact*			Email - Contact*	Email - Contact*					
Product-Env-Stewards		NA			Product-Env-Stew	Product-Env-Stewards@onsemi.com					
Authorized Representative*		Phone - Representative*			Email - Representa	Email - Representative*					
Product-Env-Stewards Product Enviro Complian		NA			Proc		roduct-Env-Stewards@onsemi.com				
Requester Item Number Mfr Ite	m Number Mfr Item Name		Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type			
FSL126	MRTWDTU Power Switcher		2024-04-23		PBB	2239.009	mg	Each			
Manufacturing Proccess Information			•			,	·				
Terminal Plating / Grid Array Material	Terminal Base Alloy J	J-STD-020 MSL Rating	Peak Proce	Peak Process Body Temperature M		eak Temperature Numb	er of Reflow Cy	cles			
Matte Tin (Sn) - annealed	CU Alloy	NA	0	C	30	seconds 3					
Comments											
or more information regarding material composition	nlesse refer to page 3										

RoHS Material Composition Declaration			Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).							
cadmium, hexavalentchromium, polybrominal contains a RoHS restricted substance inexcess encompass all such components. Supplier certi as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided by certification in this paragraph. If the Company	ted biphenyls and/or polybrominated diphenyls of an applicable quantity limit, please indication in the graph of an applicable quantity limit, please indications. Supplier acknowledges that Company will we relied on information provided by others in a minimum and the Supplier agrees that, at a minimum and the Supplier enter into a written agreem source of the Supplier's liability and the Company of the Supplier's liability and the Supplier's liability and the Supplier's liability and the Company of the Supplier's liability and the Supplier's liabi	J 2011/65/EU and implemented by the laws of the Eyl ethers (each a "RoHS restricted substance") in exate below which, if any, RoHS exemption you belie les in this form using appropriate methods to ensure rely on this certification in determining the complian completing this form, and that Supplier may not ha, its suppliers have provided certifications regarding tent with respect to the identified part, the terms and impany's remedies for issues that arise regarding info cable to such part shall apply.	cess of the applicable quantity limit identified ab we may apply. If the part is an assembly with low its accuracy and that such information is true an- unce of its products with European Union member ave independently verified such information. Ho their contributions to the part, and those certifications conditions of that agreement, including any warr	ove. If a homogeneous material within the part ver level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 4 - Item(s	) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted				
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).								
Exemption List Version	EL-2011/534/EU							
Declaration Signature								
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.								
Supplier Digital Signature Ra	astislav Drska	-6_						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	9.8	mg	Supplier	Silicon (Si)	7440-21-3		9.8	mg
Die Attach Epoxy	0.254	mg	Supplier	Poly(oxypropylene)diamine	9046-10-0		0.0076	mg
			Supplier	Miscellaneous	Trade Secret		0.0127	mg
			Supplier	Silver (Ag)	7440-22-4		0.2159	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0178	mg
Die Attach Solder	3.061	mg	Supplier	Silver (Ag)	7440-22-4		0.0765	mg
			A	Lead (Pb)	7439-92-1	7a	2.8314	mg
			Supplier	Tin (Sn)	7440-31-5		0.1531	mg
Lead Frame	1264.59	mg	Supplier	Silver (Ag)	7440-22-4		2.91	mg
			Supplier	Tin (Sn)	7440-31-5		1.55	mg
			Supplier	Copper (Cu)	7440-50-8		1260.0045	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1255	mg
Mold Compound-Black	950.0	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		114	mg
			Supplier	Carbon Black (C)	1333-86-4		4.75	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		831.25	mg
Plating	11.0	mg	Supplier	Tin (Sn)	7440-31-5		11	mg
Wire Bond - Cu	0.304	mg	Supplier	Copper (Cu)	7440-50-8		0.304	mg