	© Copyright 2005. international and Pa	IPC, Bannock	burn, Illinois. A	All rights reserved nations.	under both le									the item is an a has engineering	ssembly with low responsibility.
752-21.1					Form Type * Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ous Materia	ials and Mfg Information			
upplier	Information														
Company name* Company uni				ique ID Uni			Unique ID Authority					Response Date*			
nsemi											2024-04-25				
ontact Na	ame	Title - Contact]	Phone - Contact*				Email - Contact*					
Product-E	nv-Stewards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
uthorized	l Representative*	Title - Representative			1	Phone - Representative*				Email - Representative*					
roduct-E	nv-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item Number Mfr Item Name FSL538APG High Performance		n Number Mfr Item Name			Effective Date	e Ver	Version Manufacturing Site		W	eight*	UOM	Unit Type		
			e Integrated Off-Li IV Startup and Sens		2024-04-25 TAD				46	1.85	mg	Each			
lanufac	cturing Proccess Information	ation								-			- 1		
	Terminal Plating / Grid Array Material		-		J-STD-020 MSL R	Rating	Peak Pro	cess Body Temperature Max Time at Pea		ne at Peak '			er of Reflow Cy	cles	
Matte Tin (Sn) - annealed			CU Alloy NA				0 C 30			seconds 3					
omments															
or more i	nformation regarding materia	l composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	ng RoHS RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.6	mg	Supplier	Silicon (Si)	7440-21-3		1.6	mg
Die Attach	3.0	mg	Supplier	Silver (Ag)	7440-22-4		2.25	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.75	mg
ead Frame	121.2	mg	Supplier	Silver (Ag)	7440-22-4		0.605	mg
			Supplier	Zinc (Zn)	7440-66-6		0.169	mg
			Supplier	Iron (Fe)	7439-89-6		3.16	mg
			Supplier	Copper (Cu)	7440-50-8		117.0001	mg
			Supplier	Phosphorus (P)	7723-14-0		0.2659	mg
Iold Compound-Black	321.0	mg		Epoxy resin	proprietary data		22.47	mg
			Supplier	Phenolic Resin	Proprietary Data		8.025	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		24.075	mg
			Supplier	Carbon Black (C)	1333-86-4		1.605	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		256.8	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		8.025	mg
lating	9.05	mg	Supplier	Tin (Sn)	7440-31-5		9.05	mg
Wire Bond - Au	6.0	mg	Supplier	Gold (Au)	7440-57-5		6	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).