ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® international and F	<b>position De</b> IPC, Bannockt Pan-American co	c <b>laration</b> ourn, Illinois. A opyright conve	All rights reserved u ntions.	nder both	This docume level parts, th	ent is a declaration he declaration en	on of the substan	ces within the ma wer level materi	anufacturer lis als for which	sted item. Note: i the manufacture	f the item is an a r has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard         Form Ty           http://www.ipc.org/IPC-175x         Distribut				<ul> <li>Declaration Class *</li> <li>Class 6 - RoHS Yes/No, Homogeneous Materi</li> </ul>				is Materials a	als and Mfg Information			
upplier Information													
ompany name*	Company unique ID			τ	Unique ID Authority				Response Date*				
onsemi										2025-06-03			
Contact Name Title - Contact			act !			Phone - Contact*			En	Email - Contact*			
Product-Env-Stewards Pro			Product Enviro Compliance			NA			Pr	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Re			e - Representative			Phone - Representative*			En	Email - Representative*			
Product-Env-Stewards Pr			Product Enviro Compliance			NA			Pr	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Iten		n Number Mfr Item Name				Effective Date	Version	Manufacturing Site PH4		Weight*	UOM	Unit Type	
	FSQ0370	FSQ0370RNA Ctrl+FET Power		er Switcher		2025-06-03				478.247	mg	Each	
Ianufacturing Proccess Inform	ation						-					·	
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Base		Alloy J-STD-020 MSL Rating		L Rating	Peak Process Body Temperature Max		ature Max Time	e at Peak Tem	perature Numb	per of Reflow Cy	cles	
Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30	1	seconds 3				
omments													
or more information regarding materi	al composition	please refer to	o page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Iomogeneous Material Weight Unit of Measur		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.6	mg	Supplier	Silicon (Si)	7440-21-3		1.6	mg
Die Attach	3.0	mg	Supplier	Silver (Ag)	7440-22-4		2.25	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.75	mg
Lead Frame	137.787	mg	Supplier	Silver (Ag)	7440-22-4		0.69	mg
			Supplier	Zinc (Zn)	7440-66-6		0.193	mg
			Supplier	Iron (Fe)	7439-89-6		3.6	mg
			Supplier	Copper (Cu)	7440-50-8		133	mg
			Supplier	Phosphorus (P)	7723-14-0		0.304	mg
Mold Compound-Black	320.81	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		5.9	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		59.3999	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		5.9	mg
			Supplier	Carbon Black (C)	1333-86-4		1.61	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		247.9999	mg
Plating	9.05	mg	Supplier	Tin (Sn)	7440-31-5		9.05	mg
Wire Bond - Au	6.0	mg	Supplier	Gold (Au)	7440-57-5		6	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).