ASSOCIATION CONNECTED ELECTRONICS INDUST	© Copyright 2005, IPC	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						Mfg In	formatio	n		
Supplier Info	rmation															
Company name*			Company unique ID			τ	Unique ID Authority					Response Date*				
nsemi													2025-06-04			
Contact Name		Title - Contact			I	Phone - Contact*					Email - Contact*					
Product-Env-Ste	ewards	Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com					
Authorized Repr	esentative*	Title - Representative			I	Phone - Representative*				Email	Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com				
Reque	equester Item Number Mfr Item		n Number	Mfr Item Name			Effective Dat	e Version	n N	Manufacturing Site		Weight*		UOM	Unit Type	
		FXLA101L		IL6X 6-Bit Auto Translator			2025-06-04 TH2			2.0707		mg	Each			
Ianufacturin	g Proccess Informatio	on								_				1	•	
Termin	al Plating / Grid Array Material		Terminal Base Alloy		J-STD-020 MS	TD-020 MSL Rating		Peak Process Body Temperature		e Max Time a	Max Time at Peak Temper		ure Number of Reflow Cycles		cles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 1		1		260		C	30	30 seco		3			
Comments					<u> </u>		<u> </u>	<u> </u>		<u> </u>						
vel 1 - maximur	n time at peak temperature	during so	ldering is 10-3	30 seconds												
or more informa	ation regarding material co	mposition	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.1165	mg	Supplier	Silicon (Si)	7440-21-3		0.1165	mg	
Die Attach	0.0146	mg	Supplier	Diethylene glycol monoethyl ether acetate	112-15-2		0.0037	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0037	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0072	mg	
Lead Frame	0.7075	mg	Supplier	Magnesium (Mg)	7439-95-4		0.0013	mg	
			Supplier	Silicon (Si)	7440-21-3		0.0052	mg	
			В	Nickel (Ni)	7440-02-0		0.023	mg	
			Supplier	Copper (Cu)	7440-50-8		0.678	mg	
Mold Compound-Black	1.21	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0786	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.006	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		1.0648	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0605	mg	
Plating	0.0099	mg	Supplier	Palladium (Pd)	7440-05-3		0.0007	mg	
			В	Nickel (Ni)	7440-02-0		0.0091	mg	
			Supplier	Gold (Au)	7440-57-5		0.0001	mg	
Wire Bond	0.0122	mg	Supplier	Palladium (Pd)	7440-05-3		0.0001	mg	
			Supplier	Gold (Au)	7440-57-5		0.0121	mg	