ASSOCIATION CONNEC	© Copyright 2005. I	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						Mfg Int	formation	ı		
Supplier Info	rmation															
Company name*			Company unique ID			τ	Unique ID Authority					Response Date*				
nsemi													2025-07-17			
Contact Name		Title - Contact			F	Phone - Contact*				Email	Email - Contact*					
Product-Env-Ste	ewards	Product Enviro Compliance]	NA				Produ	Product-Env-Stewards@onsemi.com					
authorized Repr	esentative*	Title - Representative			F	Phone - Representative*				Email	Email - Representative*					
Product-Env-Ste	ewards	Product Enviro Compliance			1	NA				Produ	Product-Env-Stewards@onsemi.com					
Reque	ester Item Number	r Item Number Mfr Item Number FXLA108BQX					Effective Date	e Version	n N	Manufacturing Site		Weight*		UOM	Unit Type	
							2025-07-17	5-07-17 TH2			25.9732 mg		mg	Each		
Ianufacturi n	ng Proccess Informa	tion													,	
Termir	al Plating / Grid Array Material		Terminal Base Alloy		J-STD-020 MS	D-020 MSL Rating		Peak Process Body Temperature		Max Time at	x Time at Peak Tempera		e Number of Reflow Cycles			
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy		1		260		С	30	seco	nds	3			
Comments										<u> </u>						
vel 1 - maximur	n time at peak temperatu	ire during so	oldering is 10-3	30 seconds												
or more inform	ation regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier has provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applic											
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.474	mg	Supplier	Silicon (Si)	7440-21-3		0.474	mg
Die Attach	0.0864	mg	Supplier	Silver (Ag)	7440-22-4		0.0708	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.0156	mg
Lead Frame	11.0378		Supplier	Zinc (Zn)	7440-66-6		0.0138	mg
			Supplier	Iron (Fe)	7439-89-6		0.259	mg
			Supplier	Copper (Cu)	7440-50-8		10.756	mg
			Supplier	Phosphorus (P)	7723-14-0		0.009	mg
Mold Compound-Black	14.031		Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.982	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		12.109	mg
			Supplier	Carbon Black (C)	1333-86-4		0.028	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.912	mg
Plating	0.153		Supplier	Silver (Ag)	7440-22-4		0.002	mg
			Supplier	Palladium (Pd)	7440-05-3		0.005	mg
			В	Nickel (Ni)	7440-02-0		0.143	mg
			Supplier	Gold (Au)	7440-57-5		0.003	mg
Wire Bond - Au	0.191	mg	Supplier	Gold (Au)	7440-57-5		0.191	mg