ASSOCIATION CONNECTING LECTRONICS INDUSTRIES INDUSTRIES	Omposition De 005. IPC, Bannockt 1d Pan-American co	c laration ourn, Illinois. A opyright conver	All rights reserved u ntions.	nder both	This docume level parts, tl	ent is a declaration he declaration en	n of the substanc compasses all lo	es within the manu wer level materials	for which the	d item. Note: i e manufacturer	f the item is an as has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				Materials and	ials and Mfg Information			
upplier Information													
ompany name*	Company unique ID			τ	Unique ID Authority				Response Date*				
nsemi									2024-04-19				
Contact Name 7			Title - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards	Product Enviro Compliance				NA			Prod	Product-Env-Stewards@onsemi.com				
uthorized Representative*	Title - Repre	Title - Representative			Phone - Representative*			Emai	Email - Representative*				
roduct-Env-Stewards	Product Enviro Compliance				NA			Prod	Product-Env-Stewards@onsemi.com				
Requester Item Number	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective Date	Version	Manufacturing S	ite	Weight*	UOM	Unit Type	
	KSC238	SC2383YTA NPN/160V/1A/16		60-320		2024-04-19		CNF		344.702	mg	Each	
Ianufacturing Proccess Info	rmation					-						·	
Terminal Plating / Grid Arr	Terminal Plating / Grid Array Material Terr		rminal Base Alloy J-STD-020 MSL		Rating	Peak Process Body Temperature N		ture Max Time a	t Peak Tempe	rature Numb	er of Reflow Cy	cles	
Matte Tin (Sn) - annealed		CU Alloy NA		NA		0 C 30		30	sec	conds 3			
omments													
or more information regarding mat	erial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.169	mg	Supplier	Silicon (Si)	7440-21-3		0.169	mg
Lead Frame	173.0	mg	Supplier	Silver (Ag)	7440-22-4		0.689	mg
			Supplier	Iron (Fe)	7439-89-6		0.173	mg
			Supplier	Copper (Cu)	7440-50-8		172.086	mg
			Supplier	Phosphorus (P)	7723-14-0		0.052	mg
Mold Compound-Black	159.0	mg		Phenol Resin	proprietary data		15.9	mg
			Supplier	Carbon Black (C)	1333-86-4		1.59	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		122.43	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		19.08	mg
Plating	12.5	mg	Supplier	Tin (Sn)	7440-31-5		12.5	mg
Wire Bond - Au	0.033	mg	Supplier	Gold (Au)	7440-57-5		0.033	mg