ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INCLUSTRIES	nposition De 5. IPC, Bannockt Pan-American co	claration ourn, Illinois. A opyright conver	Il rights reserved untions.	under both	This docume level parts, th	ent is a declaration entities the declaration entities and the declaration entities and the declaration entities and the declaration entities are an	on of the substan	ces within the man ower level material	ufacturer liste s for which the	d item. Note: if e manufacturer	the item is an as has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia				Materials and	als and Mfg Information			
upplier Information													
ompany name*	Company unique ID			τ	Unique ID Authority				Response Date*				
nsemi									2024-04-25				
Contact Name Tit			Title - Contact			Phone - Contact*				Email - Contact*			
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Ti			Title - Representative			Phone - Representative*			Emai	Email - Representative*			
roduct-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number			mber Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	KSD526	SD526YTU NPN/4A/80V TO-		-220		2024-04-25	25 CP8			2030.181	mg	Each	
Ianufacturing Proccess Inform	nation						-					·	
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Termina		ase Alloy J-STD-020 MSI		L Rating	Peak Proce	ess Body Temper	ature Max Time a	t Peak Tempe	erature Numb	er of Reflow Cy	cles	
Matte Tin (Sn) - annealed		CU Alloy NA			0	0 C		sec	conds 3				
omments													
or more information regarding mate	rial composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itsuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier is used to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for usus that arise regarding information the Supplier provides in this form. In the absence of such											
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.81	mg	Supplier	Silicon (Si)	7440-21-3	^	2.81	mg
Die Attach	1.111	mg	Supplier	Silver (Ag)	7440-22-4		0.0167	mg
		-	А	Lead (Pb)	7439-92-1	7a	1.0388	mg
			Supplier	Tin (Sn)	7440-31-5		0.0555	mg
Lead Frame	1492.12	mg	В	Nickel (Ni)	7440-02-0		0.1492	mg
			Supplier	Iron (Fe)	7439-89-6		1.4921	mg
			Supplier	Copper (Cu)	7440-50-8		1490.031	mg
			Supplier	Phosphorus (P)	7723-14-0		0.4476	mg
Mold Compound-Black	518.4	mg	В	Brominated Bisphenol A Diglycidyl Ether	40039-93-8		10.368	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		44.064	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		7.776	mg
			Supplier	Carbon Black (C)	1333-86-4		2.592	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		414.72	mg
			Supplier	Silica (SiO2)	14464-46-1		5.184	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		33.696	mg
Plating	13.3	mg	Supplier	Tin (Sn)	7440-31-5		13.3	mg
Wire Bond - Al	2.44	mg	Supplier	Aluminum (Al)	7429-90-5		2.44	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).