Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x Form Type Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and Mfg Information					
Supplier	·Information														
Company name* Compan				npany unique ID			Unique ID Authority					Response Date*			
onsemi												2024-05-01			
Contact N	ame	Title - Contact				Phone - Contact*					Email - Contact*				
Product-E	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorize	d Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-E	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date Version Manufacturing Site		ing Site	W	eight*	UOM	Unit Type		
		LA4425A-E Audio Ampli		Audio Amplifier	SE 1ch		2024-05-01			РНМ		90	0.0	mg	Each
Manufa	cturing Proccess Informat	ion													
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-ST		J-STD-020 MS	L Rating	Peak Pro	Process Body Temperature M		re Max Ti	me at Peak	Temperatur	e Numb	per of Reflow Cyc	eles
	contains Bi		CU Alloy NA		NA		0 C		C	30		seconds	3		
Comments	<u> </u>														
or more i	information regarding material c	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its paragraph. If the Company and the Supplier supplier has not independently verified information provided by others, supplier agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Itability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppl										
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	astislav Drska	-En								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.99	mg	Supplier	Silicon (Si)	7440-21-3		3.9752	mg
			Supplier	Polyimide	Proprietary Data		0.0148	mg
Die Attach	1.17	mg	A	Lead (Pb)	7439-92-1	7a	1.1641	mg
			Supplier	Tin (Sn)	7440-31-5		0.0058	mg
Lead Frame	405.47	mg	Supplier	Tin (Sn)	7440-31-5		0.5677	mg
			Supplier	Copper (Cu)	7440-50-8		404.9023	mg
Mold Compound-Black	477.83			Brominated epoxy resin	proprietary data		11.4679	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		10.9901	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		5.2561	mg
			Supplier	Carbon Black (C)	1333-86-4		4.7783	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		334.481	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		109.9009	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.9557	mg
Plating	11.41	mg	В	Bismuth (Bi)	7440-69-9		0.0685	mg
			Supplier	Tin (Sn)	7440-31-5		11.3415	mg
Wire Bond - Au	0.13	mg	Supplier	Gold (Au)	7440-57-5		0.13	mg