ASSOCIATION CONNE ELECTRONICS INDUS	Material Composit © Copyright 2005. IPC, international and Pan-Ar	Bannockb	urn, Illinois. A	ll rights reserved u	nder both	This docume level parts, t	ent is a declarati he declaration e	on of the su	bstances v s all lower	within the manufactur level materials for w	rer listed i hich the r	tem. Note: it nanufacturer	f the item is an as has engineering	sembly with lower responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	<sup>c</sup> Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Info	ormation													
Company name*			Company unique ID				Unique ID Authority				Response Date*			
onsemi											2024-04-19			
Contact Name		Title - Contact				Phone - Contact*				Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative				Phone - Representative*				Email - Representative*			
Product-Env-St	ewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requ	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date	Version	Version Manufacturing Site			Weight*	UOM	Unit Type
		LC05132 G	C05132C01NMTTT 1 cell LiB Protection		ion IC		2024-04-19		PHG			26.64	mg	Each
Manufacturi	ng Proccess Information	1												
Terminal Plating / Grid Array Material Ter			erminal Base Alloy J-STD-020 MSI		L Rating	Peak Proc	Peak Process Body Temperature		e Max Time at Peak	Tempera	ture Numb	er of Reflow Cyc	eles	
contains Bi CU			U Alloy 3				260 C 30			seconds 3				
Comments														
ATTENTION: N	MSL 3 Rated item requires Ba	ake and D	ry Pack (after	electrical test)										
For more inform	nation regarding material com	position	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	S RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.41	mg	Supplier	Silicon (Si)	7440-21-3		2.41	mg	
Die Attach Solder	0.89	mg	Supplier	Silver (Ag)	7440-22-4		0.0223	mg	
			А	Lead (Pb)	7439-92-1	7a	0.8232	mg	
			Supplier	Tin (Sn)	7440-31-5		0.0445	mg	
Lead Frame	12.04	mg	Supplier	Silver (Ag)	7440-22-4		0.3612	mg	
			Supplier	Tin (Sn)	7440-31-5		0.0181	mg	
			Supplier	Copper (Cu)	7440-50-8		11.6607	mg	
Mold Compound-Black	10.73	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.073	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0536	mg	
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		1.5558	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		6.9745	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		1.073	mg	
Plating	0.54	mg	В	Bismuth (Bi)	7440-69-9		0.0041	mg	
			Supplier	Tin (Sn)	7440-31-5		0.536	mg	
Wire Bond - Au	0.03	mg	Supplier	Gold (Au)	7440-57-5		0.03	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).