© Copyright	Composition De 2005. IPC, Bannock and Pan-American c	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declaration	ion of the su encompasse	ubstances v s all lower	within the manufactu level materials for v	rer listed i which the n	tem. Note: nanufactur	if the item is an as er has engineering	ssembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
upplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority				Respons	Response Date*				
nsemi									2024-04	2024-04-19				
Contact Name Title			Title - Contact			Phone - Contact*				Email -	Email - Contact*			
Product-Env-Stewards Prod			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - 1			itle - Representative			Phone - Representative*			Email -	Email - Representative*				
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Produc	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Iten	n Number	Mfr Item Name			Effective Date	ctive Date Version Manufacturing Site		Ianufacturing Site		Weight*	UOM	Unit Type	
	LV5213	LV52133A0XA-VH Pow Supp		w Supply for S_fineLCD		2024-04-19		P	РНМ		4.15	mg	Each	
Ianufacturing Proccess Inf	formation													
Terminal Plating / Grid A	Terminal Plating / Grid Array Material Terminal Ba		Alloy J-STD-020 MSL Rating		L Rating	Peak Process Body Temperature		e Max Time at Peal	x Time at Peak Temperature		ber of Reflow Cyc	cles		
SnAgCu CU A		CU Alloy	loy 1			260) C		30	secon	ds 3			
omments														
vel 1 - maximum time at peak ter	mperature during so	Idering is 10-3	0 seconds											
or more information regarding m	naterial composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Backside Protection Film	0.15	mg	Supplier	Epoxy resins	129915-35-1		0.075	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.0675	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0075	mg
Die	2.82	mg	Supplier	Silicon (Si)	7440-21-3		2.82	mg
Electrode	0.1	mg	Supplier	Copper (Cu)	7440-50-8		0.1	mg
Protection coat	0.11	mg	Supplier	Epoxy resins	129915-35-1		0.11	mg
Solder Ball	0.97	mg	Supplier	Silver (Ag)	7440-22-4		0.0288	mg
			Supplier	Tin (Sn)	7440-31-5		0.9361	mg
			Supplier	Copper (Cu)	7440-50-8		0.005	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)