© Copyright 2005.	Copyright 2005 IPC Bannockhurn Illinois All rights reserved under both				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
	21.1 IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Dist								Materials	als and Mfg Information			
Supplier Information													
Company name* Com			Company unique ID			Unique ID Authority				Response Date*			
onsemi										2025-08-24			
Contact Name Title - Contact			ct	Phon		Phone - Contact	none - Contact*			Email - Contact*			
Product-Env-Stewards Product Envir			Enviro Compliance		NA			I	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representat			Intative I		Phone - Representative*			I	Email - Representative*				
Product-Env-Stewards Product E			duct Enviro Compliance		NA			1	Product-Env-Stewards@onsemi.com				
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing	Manufacturing Site		UOM	Unit Type	
	MC1455	MC14557BDWG LOG CMOS SHIF		FT REG 1-64BT	ſ	2025-08-24	24 PH1			422.01	mg	Each	
Anufacturing Proccess Informa	ntion					·							
Terminal Plating / Grid Array M	Terminal Plating / Grid Array Material Terminal Base All		Alloy J	-STD-020 MSL	Rating	Peak Proce	ss Body Temp	erature Max Time	at Peak To	emperature Num	per of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy		3			260	C	30		seconds 3				
omments													
TTENTION: MSL 3 Rated item require	es Bake and D	ry Pack (after	electrical test)										
or more information regarding material	l composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	5.84	mg	Supplier	Silicon (Si)	7440-21-3	-	5.84	mg
Die Attach	16.72	mg		Resin	proprietary data		1.3376	mg
			Supplier	Silver (Ag)	7440-22-4		14.1284	mg
			Supplier	Formaldehyde Polymer	9003-36-5		1.254	mg
Lead Frame	261.87	mg	Supplier	Silver (Ag)	7440-22-4		2.8806	mg
			Supplier	Zinc (Zn)	7440-66-6		0.5237	mg
			Supplier	Iron (Fe)	7439-89-6		6.8086	mg
			Supplier	Copper (Cu)	7440-50-8		251.6571	mg
Mold Compound-Black	133.38	mg		Epoxy resin	proprietary data		6.669	mg
			Supplier	Phenolic Resin	Proprietary Data		2.6676	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		3.3345	mg
			Supplier	Carbon Black (C)	1333-86-4		0.6669	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		120.042	mg
Plating	3.83	mg	Supplier	Tin (Sn)	7440-31-5		3.83	mg
Wire Bond - Cu	0.37	mg	Supplier	Copper (Cu)	7440-50-8		0.37	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).