ASSOCIATION CONNECTING	© Copyright 2005. IPC, international and Pan-Ar	Bannockb	urn, Illinois. A	ll rights reserved u ntions.	nder both	This docum level parts, t	ent is a declara the declaration	ion of the spencompasse	ubstances s all lower	within the manufactur level materials for w	rer listed i hich the 1	tem. Note: it nanufacturer	f the item is an as has engineering	ssembly with lowe responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e*	<ul> <li>* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi</li> </ul>					als and Mfg Information			
Supplier Informa	ation													
Company name*			Company unique ID				Unique ID Authority				Response Date*			
onsemi											2024-04-18			
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative				Phone - Representative*			Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Requester	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	e Version	n Manufacturing Site			Weight*	UOM	Unit Type
		MC34163DWG ANA DC-DO		ANA DC-DC 3A	DC 3A SW I REG		2024-04-18		Т	TW2		422.01	mg	Each
Aanufacturing F	Proccess Information	1							1					
Terminal Plating / Grid Array Material Terminal B			erminal Base A	Alloy J	-STD-020 MS	L Rating	Peak Pro	ess Body T	emperatur	e Max Time at Peak	Tempera	ture Numb	er of Reflow Cyc	cles
Matte Tin (Sn) - annealed CU Alloy			U Alloy	3	3		260		C	30	seco	ids 3		
omments														
TTENTION: MSL	3 Rated item requires Ba	ke and D	ry Pack (after	electrical test)										
or more information	n regarding material con	position r	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ess of the applicable quantity limit identified about the may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union member we independently verified such information. How	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	5.84	mg	Supplier	Silicon (Si)	7440-21-3		5.84	mg		
Die Attach	16.72	mg	Supplier	Silver (Ag)	7440-22-4		12.54	mg		
			Supplier	Epoxy resins	129915-35-1		4.18	mg		
Lead Frame	261.87	mg	Supplier	Silver (Ag)	7440-22-4		2.8806	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.5237	mg		
			Supplier	Iron (Fe)	7439-89-6		6.8086	mg		
			Supplier	Copper (Cu)	7440-50-8		251.6571	mg		
Mold Compound-Black	133.38	mg		Epoxy resin	proprietary data		6.669	mg		
			Supplier	Phenolic Resin	Proprietary Data		6.669	mg		
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.6676	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.6669	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		116.7075	mg		
Plating	3.83	mg	Supplier	Tin (Sn)	7440-31-5		3.83	mg		
Wire Bond - Cu	0.37	mg	Supplier	Copper (Cu)	7440-50-8		0.37	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3