ASDCIATION CONNECTING ELECTRONICS (NOUSTRIES +) international and Pan	C. Bannockl	burn. Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declara he declaration	tion of the s encompasse	substances es all lowe	within the er level ma	e manufacture terials for wh	er listed it hich the m	em. Note anufactur	: if the item is rer has engine	an assembly ering responsi	with lowe bility.
				Form Type Distribute	*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials an					als and M	and Mfg Information			
Supplier Information															
Company name* Compan			npany unique ID			Unique ID Authority					Response Date*				
onsemi											2025-06-08				
Contact Name	ntact Name Title - Contact					Phone - Contact*					Email - Contact*				
Product-Env-Stewards Product Enviro Con			o Compliance			NA					Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Rep			epresentative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards Pr			Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com				
Requester Item Number	Imber Mfr Item Nur		Number Mfr Item Name			Effective Dat	e Version	ion Manufacturing Site		1	Weight*	UOM	Un	it Type	
	MC74V G	MC74VHCT573ADW LOG CMOS LATC		TCH OCTAL 35	ST	2025-06-08		:	PH1		5	517.71	mg	Ea	ch
Manufacturing Proccess Informat	ion														
Terminal Plating / Grid Array Ma	terial	rial Terminal Base Alloy J.		J-STD-020 MSI	L Rating	Peak Pro	Process Body Temperature Max Time at Peak		Temperature Number of Ref		mber of Reflov	w Cycles			
Matte Tin (Sn) - annealed CU Alloy			3		260		С	30		secon	is 3				
comments															
TTENTION: MSL 3 Rated item requires	Bake and I	Dry Pack (after	electrical test)												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	5/EU (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	9.33	mg	Supplier	Silicon (Si)	7440-21-3		9.33	mg		
Die Attach	20.68	mg	Supplier	Silver (Ag)	7440-22-4		15.51	mg		
			Supplier	Epoxy resins	129915-35-1		5.17	mg		
Lead Frame 3	323.98	mg	Supplier	Silver (Ag)	7440-22-4		3.2398	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.648	mg		
			Supplier	Iron (Fe)	7439-89-6		8.4235	mg		
			Supplier	Copper (Cu)	7440-50-8		311.6688	mg		
Mold Compound-Black	158.46	mg		Epoxy Phenol Resin	proprietary data		16.6383	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		141.8217	mg		
Plating	4.79	mg	Supplier	Tin (Sn)	7440-31-5		4.79	mg		
Wire Bond - Au	0.47	mg	Supplier	Gold (Au)	7440-57-5		0.47	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted)