	Material Compo © Copyright 2005. IP international and Pan-	C, Bannockb	urn, Illinois. A	All rights reserved un ntions.	nder both	This docume level parts, t	ent is a declarati he declaration e	on of the sul ncompasses	bstances v all lower	within the manufac level materials for	turer listed which the	item. Note: it manufacturer	f the item is an as has engineering	ssembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				erials and I	als and Mfg Information					
Supplier	r Information														
Company name* Compa				ompany unique ID			Unique ID Authority				Respo	Response Date*			
onsemi											2024-0	2024-04-19			
Contact N	lame		Title - Contact]	Phone - Contact*				Email	Email - Contact*			
Product-I	Env-Stewards		Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
uthorize	ed Representative*		Title - Representative]	Phone - Representative*				Email	Email - Representative*			
Product-I	Env-Stewards		Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
	Requester Item Number Mfr Item Number Mfr Item Name Image: MC7815ACTG ANA 1A 15V VR		Number Mfr Item Name				Effective Date	Version	Version Manufacturing Site			Weight*	UOM	Unit Type	
			EG		2024-04-19 MY1		I Y1		1365.61	mg	Each				
/lanufa	cturing Proccess Informat	ion					1								
	Terminal Plating / Grid Array Material		Ferminal Base Alloy J-STD-020 M		-STD-020 MS	L Rating	Peak Process Body Temperat		mperatur	ure Max Time at Peak Temp		ature Numb	er of Reflow Cyc	cles	
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		С	30 sec		onds 3				
omments	3														
or more	information regarding material of	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.61	mg	Supplier	Silicon (Si)	7440-21-3		1.61	mg	
Die Attach	0.21	mg	А	Lead (Pb)	7439-92-1	7a	0.189	mg	
			Supplier	Tin (Sn)	7440-31-5		0.021	mg	
Lead Frame	677.24	mg	Supplier	Silver (Ag)	7440-22-4		0.0339	mg	
			Supplier	Iron (Fe)	7439-89-6		0.6772	mg	
			Supplier	Copper (Cu)	7440-50-8		676.3054	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.2235	mg	
Mold Compound-Black	644.0	mg		Metal Hydroxide	proprietary data		30.268	mg	
			Supplier	Carbon Black (C)	1333-86-4		1.932	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		515.2	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		64.4	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		32.1999	mg	
Plating	42.4	mg	Supplier	Tin (Sn)	7440-31-5		42.4	mg	
Wire Bond - Cu	0.15	mg	Supplier	Copper (Cu)	7440-50-8		0.15	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3