© Copyright 2	omposition De 005. IPC, Bannocki nd Pan-American co	burn, Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declara he declaration	ation of the s	substances es all lowe	within the materia	anufacture als for wh	er listed item iich the man	. Note: i ufacture	if the item is an as r has engineering	sembly with low responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form 7 http://www.ipc.org/IPC-175x Distrib				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information			
Supplier Information														
Company name*			Company unique ID			Unique ID Authority					Response Date*			
onsemi											2025-06-06			
Contact Name Title - Con			Contact			Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title -			itle - Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	Requester Item Number Mfr Item		n Number Mfr Item Name			Effective Da	te Version	1	Manufacturing Site		We	ight*	UOM	Unit Type
	MUN53	MUN5311DW1T1G SS SC8		S SC88 BR XSTR DUAL 50V		2025-06-06			CN1		6.2		mg	Each
Aanufacturing Proccess Info	rmation						-				· ·		L	
Terminal Plating / Grid Arr	Terminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MS	L Rating	Peak Pro	cess Body 7	Femperatu	re Max Time	e at Peak 🛛	Temperature	Numl	ber of Reflow Cyc	les
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30		seconds	3		
omments														
vel 1 - maximum time at peak temj	perature during so	ldering is 10-3	0 seconds											
or more information regarding ma	terial composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material Weight Unit of Meas		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.19	mg	Supplier	Silicon (Si)	7440-21-3		0.19	mg		
Lead Frame	2.04	mg	В	Nickel (Ni)	7440-02-0		0.7813	mg		
			Supplier	Iron (Fe)	7439-89-6		1.0792	mg		
			Supplier	Copper (Cu)	7440-50-8		0.1795	mg		
Mold Compound-Black	3.9	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.117	mg		
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0195	mg		
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.117	mg		
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.12	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.039	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.312	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1755	mg		
Plating	0.05	mg	Supplier	Tin (Sn)	7440-31-5		0.05	mg		
Wire Bond	0.02	mg	Supplier	Palladium (Pd)	7440-05-3		0.0002	mg		
			Supplier	Copper (Cu)	7440-50-8		0.0198	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).