BC SECCIATION CONNECTING SECCIATION CONNECT				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lowe level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					Aaterials and	als and Mfg Information				
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*					
onsemi												2025-06-07			
Contact Name	Title - Conta	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Repre	Title - Representative			Phone - Representative*				Email	Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	n Number	Mfr Item Name			Effective Date Version Manufacturin		Manufacturing S	ite	Weight* 15.867101		OM	Unit Type		
		NC7ST02M5X- L22090 HST 2-In		T 2-Input NOR Gate		2025-06-07		CNS					ıg	Each	
Manufacturing Proccess Informa	tion														
Terminal Plating / Grid Array Ma	terial '	Terminal Base	Alloy J	J-STD-020 MSL Rating		Peak Process Body Te		/ Temperatu	erature Max Time at Peak T		Temperature Number of Reflow Cycles		es		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		l		260		C	30 seco		conds 3				
Comments															
evel 1 - maximum time at peak temperatu	re during so	oldering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.8101	mg	Supplier	Silicon (Si)	7440-21-3		0.8101	mg
Die Attach	0.1013	mg	Supplier	Silver (Ag)	7440-22-4		0.081	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.0203	mg
Lead Frame	8.78733	mg	Supplier	Zinc (Zn)	7440-66-6		0.0105	mg
			Supplier	Iron (Fe)	7439-89-6		0.2065	mg
			Supplier	Copper (Cu)	7440-50-8		8.5676	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0026	mg
Mold Compound-Black	6.0046	mg		Epoxy resin	proprietary data		0.3002	mg
			Supplier	Phenolic Resin	Proprietary Data		0.1201	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.1501	mg
			Supplier	Carbon Black (C)	1333-86-4		0.03	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		5.4041	mg
Plating	0.062571	mg	Supplier	Palladium (Pd)	7440-05-3		0.0027	mg
			В	Nickel (Ni)	7440-02-0		0.059	mg
			Supplier	Gold (Au)	7440-57-5		0.0009	mg
Wire Bond - Au	0.1012	mg	Supplier	Gold (Au)	7440-57-5		0.1012	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).