© Copyright 2005. IPC, Bannock	Convright 2005 IPC Bannockburn Illinois All rights reserved under both				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
IPC Web Site for Information on http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi						als and Mfg Information				
Supplier Information															
Company name* Company unique ID				Unique ID Authority						Response Date*					
onsemi	nsemi				2024-04-18										
Contact Name Title - Contact]	Phone - Contact*					Email - Contact*					
Product-Env-Stewards Product Enviro Compliance					NA					Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative				Phone - Representative*						Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Requester Item Number Mfr Iter	n Number Mfr	Mfr Item Name			Effective I	Date Ve	ersion	Manufacturing Site		V	Weight*		UOM	Unit Type	
NC7WZ	C7WZ04FHX UHS Dual Inve		:		2024-04-1	8		THB	ГНВ		.395		mg	Each	
Manufacturing Proccess Information						•	I						1	-	
Terminal Plating / Grid Array Material	Terminal Base Alloy		STD-020 MSI	L Rating	Peak I	Peak Process Body Ten		perature Max Time at Peak		Temperature N		Number of Reflow Cycles			
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)	CU Alloy	əy 1			260		С	C 30		seconds 3		3			
Comments							• 								
level 1 - maximum time at peak temperature during so	ldering is 10-30 sec	conds													
For more information regarding material composition	please refer to pag	ge 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.111	mg	Supplier	Silicon (Si)	7440-21-3		0.111	mg
Die Attach Tape	0.014	mg	Supplier	Acrylic AE Copolymer	58152-79-7		0.0021	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.007	mg
			Supplier	Formaldehyde Polymer	9003-36-5		0.002	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.001	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.002	mg
Lead Frame	0.402	mg	Supplier	Magnesium (Mg)	7439-95-4		0.0007	mg
			Supplier	Silicon (Si)	7440-21-3		0.0029	mg
			В	Nickel (Ni)	7440-02-0		0.013	mg
			Supplier	Copper (Cu)	7440-50-8		0.3854	mg
Mold Compound-Black	0.852	mg		Epoxy resin	proprietary data		0.0426	mg
			Supplier	Phenolic Resin	Proprietary Data		0.0196	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.0426	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0034	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.0196	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		0.7242	mg
Plating	0.014	mg	Supplier	Palladium (Pd)	7440-05-3		0.001	mg
			В	Nickel (Ni)	7440-02-0		0.013	mg
			Supplier	Gold (Au)	7440-57-5		0	mg
Wire Bond	0.002	mg	Supplier	Palladium (Pd)	7440-05-3		0	mg
			Supplier	Gold (Au)	7440-57-5		0	mg
			Supplier	Copper (Cu)	7440-50-8		0.002	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).