ABBOCIATION CONNECTING ELECTRONICS INDUSTRIES® Material Compositio © Copyright 2005. IPC, Ba international and Pan-Ame	nnockburn, Illinois.	All rights reserved u	under both	This docume level parts, t	ent is a declar he declaratior	ation of the n encompass	substances ses all lowe	within the manut r level materials	acturer listed for which the	l item. N manufa	Note: if the	e item is an as s engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg In						ormation			
Supplier Information														
ompany name* Company unique ID			Unique ID Authority					Respo	Response Date*					
nsemi									2024-0	2024-05-02				
Contact Name Title - Contact]	Phone - Contact*				Email	Email - Contact*				
Product-Env-Stewards Product Enviro Compliance					NA				Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative]	Phone - Representative*				Email	Email - Representative*				
Product-Env-Stewards	Product En	oduct Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number M	Ifr Item Number	Mfr Item Name			Effective Da	te Versio	n l	Manufacturing Site		Weigh	nt*	UOM	Unit Type	
	C7WZU04P6X- 22347 Dual Unbuffered		Inverter		2024-05-02			CNS		6.59		mg	Each	
Manufacturing Proccess Information														
Terminal Plating / Grid Array Material	Terminal Base	Terminal Base Alloy		L Rating	Peak Pro	Peak Process Body Temperatu		ure Max Time at Peak Temper		rature	ature Number of Reflow Cycles		les	
Precious metal (e.g. Ag,Au, NiPdAu) Sn)	ı, NiPdAu) (no CU Alloy		1		260		С	30		conds 3				
Comments	*													
evel 1 - maximum time at peak temperature du	ring soldering is 10-	30 seconds												
or more information regarding material comp	osition please refer	to page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.121	mg	Supplier	Silicon (Si)	7440-21-3		0.121	mg
Die Attach	0.062	mg	Supplier	Silver (Ag)	7440-22-4		0.0496	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.0124	mg
Lead Frame 3.	3.598	mg	Supplier	Zinc (Zn)	7440-66-6		0.0043	mg
			Supplier	Iron (Fe)	7439-89-6		0.0846	mg
			Supplier	Copper (Cu)	7440-50-8		3.5081	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0011	mg
Mold Compound-Black	2.749	mg		Epoxy resin	proprietary data		0.1375	mg
			Supplier	Phenolic Resin	Proprietary Data		0.055	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0687	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0137	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.4741	mg
Plating	0.027	mg	Supplier	Palladium (Pd)	7440-05-3		0.0011	mg
			В	Nickel (Ni)	7440-02-0		0.0257	mg
			Supplier	Gold (Au)	7440-57-5		0.0002	mg
Wire Bond - Au	0.033	mg	Supplier	Gold (Au)	7440-57-5		0.033	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).