ASDCIATION CONNECTING ELECTRONICS INDUSTRIES® MOUSTRIES® International and Pan-American co	urn. Illinois. All rights reserved u	nder both This do level pa	cument is a declar rts, the declaration	ation of the sub a encompasses	bstances wit all lower le	thin the manufacture evel materials for wh	er listed item hich the manu	. Note: if the	e item is an asso s engineering re	embly with lower sponsibility.	
-21.1 IPC Web Site for Information on IPC-1752 Standard Form Ty Distribut			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information								
Supplier Information											
Company name*	pany name* Company unique ID			Unique ID Authority				Response Date*			
onsemi								2024-04-19			
Contact Name	Title - Contact		Phone - Contact*				Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance		NA				Product-Env-Stewards@onsemi.com				
thorized Representative* Title - Representative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Product Enviro Compliar		nce N		NA			Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Item	umber Mfr Item Name		Effective Da	te Version	Mai	Manufacturing Site		ight*	UOM	Unit Type	
NCL300	30B1DR2G Combination PFC Flyback Controlle	C and Quasi-Resonant	2024-04-19		PH1	1	169	.73	mg	Each	
Manufacturing Proccess Information											
Terminal Plating / Grid Array Material T	Terminal Base Alloy J-STD-020 MS		Peak Pr	Peak Process Body Temperature Max Time at Pea		Max Time at Peak	Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy 1		1	260		С	30	seconds	3			
Comments											
evel 1 - maximum time at peak temperature during sol	dering is 10-30 seconds										
For more information regarding material composition	0										

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	3.53	mg	Supplier	Silicon (Si)	7440-21-3		3.53	mg
Die Attach	0.4	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.128	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.272	mg
Lead Frame 57	57.81	mg	Supplier	Silver (Ag)	7440-22-4		0.4625	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0578	mg
			Supplier	Iron (Fe)	7439-89-6		1.5031	mg
			Supplier	Copper (Cu)	7440-50-8		55.7867	mg
Mold Compound-Black	104.53	mg		Epoxy resin	proprietary data		5.2265	mg
			Supplier	Phenolic Resin	Proprietary Data		5.2265	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.0906	mg
			Supplier	Carbon Black (C)	1333-86-4		0.5227	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		91.4637	mg
Plating	3.14	mg	Supplier	Tin (Sn)	7440-31-5		3.14	mg
Wire Bond - Au	0.32	mg	Supplier	Gold (Au)	7440-57-5		0.32	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).