IPC ASSOCIATION ELECTRONIC	Material Compo © Copyright 2005. IF cs INDUSTRIES® international and Pan	C, Bannockb	urn, Illinois. A	all rights reserved un	nder both	This docume level parts, t	ent is a declar the declaration	ation of n encomp	the substances passes all lowe	within the r level ma	e manufactur terials for w	er listed it hich the m	em. Note: nanufacture	if the item is an as er has engineering	sembly with lowe responsibility.	
1752-21.1	.1 IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					neous Materi	als and M	fg Informa	tion		
Supplie	r Information															
Company name* Company unique ID				ique ID	ID Unique			nique ID Authority					Response Date*			
onsemi												2024-04-18				
Contact N	Vame	Title - Contact				Phone - Contact*					Email - Contact*					
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorize	ed Representative*	Title - Representative				Phone - Representative*				Email - Representative*						
Product-1	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
	Requester Item Number Mfr Item		Number Mfr Item Name			<u>, </u>	Effective Date Version M		Manufacturing Site		1	Weight*	UOM	Unit Type		
		NCP1216AP65G PW		PWM CURRENT-MODE CONTROLL		ROLL	2024-04-18			ID1			171.68	mg	Each	
Manufa	ecturing Process Informat	ion		,			,								,	
	Terminal Plating / Grid Array Material Te		Cerminal Base Alloy J-STD-020 MS		Rating	Peak Process Body Tempera		dy Temperatu	ture Max Time at Peak Tempe		Temperat	ure Num	ber of Reflow Cyc	eles		
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		30 seco		secon	ds 3					
Comments	S			·											·	
				<u> </u>											<u> </u>	
or more	information regarding material o	composition	please refer to	page 3										·	·	

RoHS Material Composition Declaration			Declaration Type *	Detail	ed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a		
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted
Exemption: If the declared item does not applicable exemptions.	contain RoHS restricted substances per t	he definition above except for defined Rol	IS exemptions, then select the corresponding	response in the R	oHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.19	mg	Supplier	Silicon (Si)	7440-21-3		2.19	mg
Die Attach	8.92	mg	Supplier	Silver (Ag)	7440-22-4		6.69	mg
			Supplier	Epoxy resins	129915-35-1		2.23	mg
Lead Frame	131.05	mg	Supplier	Silver (Ag)	7440-22-4		0.9173	mg
			Supplier	Zinc (Zn)	7440-66-6		0.2621	mg
			Supplier	Iron (Fe)	7439-89-6		3.4073	mg
			Supplier	Copper (Cu)	7440-50-8		126.4632	mg
Mold Compound-Black	317.53	mg		Epoxy Phenol Resin	proprietary data		33.3406	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		284.1893	mg
Plating	11.9	mg	Supplier	Tin (Sn)	7440-31-5		11.9	mg
Wire Bond	0.09	mg	Supplier	Palladium (Pd)	7440-05-3		0.0009	mg
			Supplier	Copper (Cu)	7440-50-8		0.0891	mg