ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES*	Material Composit © Copyright 2005. IPC, international and Pan-Art	Bannockb	urn, Illinois. A	ll rights reserved nations.	under both le	^{This} docume evel parts, th	ent is a declarati he declaration e	on of the su ncompasse	ubstances v s all lower	within the manufacture level materials for v	urer listed which the i	tem. Note: nanufacture	if the item is an as or has engineering	ssembly with low responsibility.	
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Form Type * Distribute	⁴ Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					rials and M	als and Mfg Information			
upplier Informa	tion														
Company name*			Company unique ID			ι	Unique ID Authority				Respon	Response Date*			
onsemi											2025-07	2025-07-18			
Contact Name			Title - Contact			1	Phone - Contact*				Email -	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			1	Phone - Representative*				Email -	Email - Representative*			
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Requester	Requester Item Number Mfr Iten		m Number Mfr Item Name				Effective Date	ective Date Version Manufacturing Site			Weight*	UOM	Unit Type		
		NCP160BFCS250T2G CSP LDO 250mA, I		A, Non-Active Dis	scharge	2025-07-18 CN		NQ	0		mg	Each			
Ianufacturing P	roccess Information	1													
Terminal Plating / Grid Array Material Term			rminal Base Alloy J-STD-020 MSL R		Rating	Peak Process Body Temperature Max Tim		e Max Time at Pea	ak Temperature Number of Reflow Cycles		cles				
SnAgCu CU			CU Alloy	Alloy 1			260 C 30			seco	seconds 3				
omments															
vel 1 - maximum tim	e at peak temperature d	luring sol	dering is 10-3	0 seconds											
or more information	regarding material com	position	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl shthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select select a RoHS exemption, if applie sigma range of distribution unless	cable [E] enter the weigh	, Requester or Supplier) [B it of the substance or the P] select the substance of the substance	ance category (JIG or Requester) or [F] Optionally enter the positive (-	enter a value (Supplier). [C] selec -) and negative (-) tolerance in perc	t the substance (JI cent (Note: percer	(G) or enter the substa at tolerance values are	nce and CAS (Other). [D] expected to cover a 3
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.2386	mg	Supplier	Silicon (Si)	7440-21-3		0.2386	mg
Protection coat	0.0085	mg		Polyimide	proprietary data		0.0085	mg
RDL	0.0076	mg	Supplier	Titanium (Ti)	7440-32-6		0.0001	mg
			Supplier	Copper (Cu)	7440-50-8		0.0075	mg
Solder Ball	0.0902	mg	Supplier	Silver (Ag)	7440-22-4		0.0023	mg
			Supplier	Tin (Sn)	7440-31-5		0.0873	mg
			Supplier	Copper (Cu)	7440-50-8		0.0005	mg