Material Com © Copyright 2005, international and F	IPC, Bannock	burn, Illinois. A	ll rights reserved u	nder both	This docume level parts, t	ent is a decla he declaratio	ration on enco	of the substance ompasses all low	es within ver level	the manufactu materials for v	arer listed it which the m	tem. N nanufa	Note: if the	e item is an ass s engineering i	sembly with lower esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					rials and M	fg Inf	ormation			
Supplier Information																
Company name* Company			pany unique ID			Unique ID Authority					Respons	Response Date*				
onsemi											2025-06	2025-06-04				
Contact Name	Title - Contac	Fitle - Contact			Phone - Contact*					Email -	Email - Contact*					
Product-Env-Stewards	Product Envir	Product Enviro Compliance			NA NA					Product-Env-Stewards@onsemi.com						
Authorized Representative*	Title - Repres	Title - Representative			Phone - Representative*				Email - Representative*							
Product-Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com							
Requester Item Number	Mfr Iten	n Number	r Mfr Item Name			Effective D	ate V	Version	Manufacturing Site		1	Weigh	nt*	UOM	Unit Type	
	NCP176	CP176BMX120TCG LDO 1.2) 1.2V HZ		2025-06-04			ТНВ		1	1.81		mg	Each	
Manufacturing Proccess Inform	ation															
Terminal Plating / Grid Array N	Material [Γerminal Base A	Alloy	J-STD-020 MS	L Rating	Peak P	Peak Process Body To		rature Max Time at Peak		k Temperat	Temperature Number		of Reflow Cyc	les	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С	30 secon		secon	ds	3			
Comments															<u>.</u>	
evel 1 - maximum time at peak tempera	ture during so	ldering is 10-30	0 seconds													
or more information regarding materia	al composition	please refer to	page 3													

RoHS Material Composition Declaration			Declaration Type *	Detail	ed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a						
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of				
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the				

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.09	mg	Supplier	Silicon (Si)	7440-21-3		0.09	mg
Die Attach	0.04	mg	Supplier	Silver (Ag)	7440-22-4		0.03	mg
			Supplier	Epoxy resins	129915-35-1		0.01	mg
Lead Frame	0.78	mg	Supplier	Tin (Sn)	7440-31-5		0.0019	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0017	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0019	mg
			Supplier	Copper (Cu)	7440-50-8		0.7744	mg
Mold Compound-Black	0.87	mg		Epoxy Phenol Resin	proprietary data		0.0913	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		0.7786	mg
Plating	0.01	mg	Supplier	Palladium (Pd)	7440-05-3		0.0005	mg
			В	Nickel (Ni)	7440-02-0		0.009	mg
			Supplier	Gold (Au)	7440-57-5		0.0005	mg
Wire Bond	0.02	mg	Supplier	Palladium (Pd)	7440-05-3		0.0002	mg
			Supplier	Copper (Cu)	7440-50-8		0.0198	mg