| ASSOCIATION CONNECTING © Copyright 2005. international and Pa | IPC, Bannockl | ourn, Illinois. A | ll rights reserved untions. | nder both | This docume level parts, t | ent is a declar he declaratio | ration of on encom | the substances passes all lowe | within the r level ma | e manufactur aterials for w | er listed ite hich the m | em. No anufact | te: if the it | tem is an ass | embly with lowersponsibility. | |
|---|---|---------------------------|-----------------------------|---------------------|-------------------------------|--|-------------------------|-----------------------------------|---------------------------------|---------------------------------|-----------------------------|-------------------|----------------------------|---------------|-------------------------------|--|
| | IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute | | | | e * | * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater | | | | | als and Mf | g Infor | mation | | | |
| Supplier Information | | | | | | | | | | | | | | | | |
| Company name* Company uniqu | | | que ID Unic | | | Unique ID Authority | | | | | Response Date* | | | | | |
| onsemi | | | | | | | | | | | 2025-06-04 | | | | | |
| Contact Name Title - Contact | | | | P | | | Phone - Contact* | | | | | Email - Contact* | | | | |
| Product-Env-Stewards | Product Envir | Product Enviro Compliance | | | NA | | | | | Product-Env-Stewards@onsemi.com | | | | | | |
| Authorized Representative* | Title - Repres | - Representative I | | | Phone - Representative* | | | | Email - Representative* | | | | | | | |
| Product-Env-Stewards | Product Enviro Compliance | | | | NA | | | | Product-Env-Stewards@onsemi.com | | | | | | | |
| Requester Item Number | Mfr Iten | n Number | Mfr Item Name | | | Effective D | ate Ve | rsion | Manufacturing Site | | V | /eight* |) | JOM | Unit Type | |
| | NCP176 | CP176BMX280TCG LDO 2.8 | | O 2.8V HZ | | 2025-06-04 | | | MY1 | | 1 | .81 | r | ng | Each | |
| Manufacturing Proccess Informa | ntion | | | | | | | | | | | | | | | |
| Terminal Plating / Grid Array M | Iaterial 7 | Terminal Base A | Alloy | J-STD-020 MSL Ratin | | Peak Pr | Peak Process Body Tempe | | ture Max Time at Peak To | | Temperatu | re N | re Number of Reflow Cycles | | es | |
| Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) | | CU Alloy 1 | | 1 | | 260 | | С | 30 seco. | | second | ls 3 | | | | |
| Comments | | | | · | | | | | | | | | | | | |
| evel 1 - maximum time at peak temperat | ure during so | ldering is 10-30 | 0 seconds | | | | | | | | | | | | | |
| or more information regarding materia | l composition | please refer to | page 3 | | | | | | | | | | | | | |

| RoHS Material Composition Declaration | | | Declaration Type * | Detail | ed | | | | |
|--|---|---|---|---|---|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU | | ium (Cr6+), Polybrominated Biphenyls (PB) | erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a | | | | | | |
| cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan | nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C | enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega | s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this | dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ | homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of | | | | |
| RoHS Declaration * 1 - Item | (s) does not contain RoHS restricted substar | nces per the definition above | Supplier A | cceptance * | Accepted | | | | |
| Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. | | | | | | | | | |
| Exemption List Version | EL-2011/534/EU | | | | | | | | |
| Declaration Signature | | | | | | | | | |
| | | | | | | | | | |
| | | e "Accepted" on the Supplier Acceptance | drop-down. This will display the signature a | rea. Digitally sign t | the declaration (if required by the | | | | |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

| Homogeneous Material | Weight | Unit of Measure | Level | Substance | CAS | Exempt | Weight | Unit of Measure |
|-----------------------------|--------|-----------------|----------|---------------------|------------------|--------|--------|-----------------|
| Die | 0.09 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 0.09 | mg |
| Die Attach | 0.04 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 0.03 | mg |
| | | | Supplier | Epoxy resins | 129915-35-1 | | 0.01 | mg |
| Lead Frame | 0.78 | mg | Supplier | Tin (Sn) | 7440-31-5 | | 0.0019 | mg |
| | | | Supplier | Zinc (Zn) | 7440-66-6 | | 0.0017 | mg |
| | | | Supplier | Chromium (Cr) | 7440-47-3 | | 0.0019 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 0.7744 | mg |
| Mold Compound-Black | 0.87 | mg | | Epoxy Phenol Resin | proprietary data | | 0.0913 | mg |
| | | | Supplier | Fused Silica (SiO2) | 60676-86-0 | | 0.7786 | mg |
| Plating | 0.01 | mg | Supplier | Palladium (Pd) | 7440-05-3 | | 0.0005 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 0.009 | mg |
| | | | Supplier | Gold (Au) | 7440-57-5 | | 0.0005 | mg |
| Wire Bond | 0.02 | mg | Supplier | Palladium (Pd) | 7440-05-3 | | 0.0002 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 0.0198 | mg |