ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	nockburn, Illinois. A	ll rights reserved un tions.	nder both	This docume level parts, th	ent is a declar he declaration	ation of the n encompass	substances ses all lowe	within the ma r level materia	nufacturer list ls for which tl	ed item. ne manuf	Note: if th acturer ha	ne item is an as as engineering	sembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and M					d Mfg In	Mfg Information			
Supplier Information														
Company name* Company unique ID			Unique			nique ID Authority				Response Date*				
onsemi	nsemi									2025-08-01				
Contact Name Title - Contact]	Phone - Contact*				Ema	Email - Contact*				
Product-Env-Stewards Product Enviro Compliance					NA				Pro	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative]	Phone - Representative*				Ema	Email - Representative*				
Product-Env-Stewards	iro Compliance			NA				Pro	Product-Env-Stewards@onsemi.com					
Requester Item Number Mf	r Item Number	Mfr Item Name			Effective Da	te Version	n l	Manufacturing Site		Weig	ht*	UOM	Unit Type	
NC	CP51561BADWR2G High Performance Gate Driver		e Isolated dual C	Channel	2025-08-01 PH1			497.62		mg	Each			
Manufacturing Proccess Information														
Terminal Plating / Grid Array Material	Terminal Base	Terminal Base Alloy J		L Rating Pea		k Process Body Temperature Max Time at		at Peak Temp	ak Temperature Nu		Number of Reflow Cycles			
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) CU Alloy		1	1			260 C		30		econds 3				
Comments	÷				· · · · · · · · · · · · · · · · · · ·									
evel 1 - maximum time at peak temperature duri	ng soldering is 10-3	0 seconds												
or more information regarding material composition	ition please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.16	mg	Supplier	Silicon (Si)	7440-21-3		4.16	mg
Die Attach Epoxy	1.47	mg	Supplier	Silver (Ag)	7440-22-4		1.2495	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.2205	mg
Lead Frame	127.0	mg	Supplier	Zinc (Zn)	7440-66-6		0.1524	mg
			Supplier	Iron (Fe)	7439-89-6		2.9845	mg
			Supplier	Copper (Cu)	7440-50-8		123.825	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0381	mg
Mold Compound-Black	363.94	mg		Epoxy resin	proprietary data		27.2955	mg
			Supplier	Phenolic Resin	Proprietary Data		9.0985	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		27.2955	mg
			Supplier	Carbon Black (C)	1333-86-4		1.8197	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		298.4308	mg
Plating	0.65	mg	Supplier	Palladium (Pd)	7440-05-3		0.0239	mg
			В	Nickel (Ni)	7440-02-0		0.5303	mg
			Supplier	Gold (Au)	7440-57-5		0.0958	mg
Vire Bond - Au	0.4	mg	Supplier	Gold (Au)	7440-57-5		0.4	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).