ASSOCIATION CONNECTING ASSOCIATION CONNECTING LECTROMICS INDUSTRIES International and Pan-America	nockburn, Illinois, A	Il rights reserved untions.	Inder both	This docume evel parts, t	ent is a declarat	ion of the su	ubstances s all lower	within the manufact level materials for	turer listed which the	l item. Note manufactur	: if the item is an as rer has engineering	ssembly with lowe responsibility.	
	.1 IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribu			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					erials and l	als and Mfg Information			
Supplier Information													
bompany name* Company unique ID				Unique ID Authority					Response Date*				
onsemi	emi								2025-0	2025-06-05			
Contact Name	Title - Contact			1	Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards	uct-Env-Stewards Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com				
uthorized Representative* Title - Representative				Phone - Representative*				Email	Email - Representative*				
Product-Env-Stewards Product Enviro Complianc			NA						Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr	r Item Number	Mfr Item Name			Effective Date	Version	Ν	Manufacturing Site		Weight*	UOM	Unit Type	
NC	P553SQ30T1G	SQ30T1G ANA LDO LINEAF		DR	2025-06-05	5-06-05 MY1		<b>4</b> Y1		7.22	mg	Each	
Manufacturing Proccess Information													
Terminal Plating / Grid Array Material	Terminal Base Alloy J-S		J-STD-020 MSL	Rating	Peak Process Body Tempera		emperatur	ure Max Time at Peak Temper		ature Nur	nber of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy 1		1		260		С	30	seco	onds 3				
omments													
vel 1 - maximum time at peak temperature duri	ng soldering is 10-3	0 seconds											
or more information regarding material compos	ition please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.13	mg	Supplier	Silicon (Si)	7440-21-3		0.13	mg
Die Attach	0.08	mg		Epoxy resin	proprietary data		0.024	mg
			Supplier	Fatty acids, C18-unsatd., dimers, polymers with epichlorhydrin	68475-94-5		0.024	mg
			Supplier	2,2'-[[2-(oxiranylmethoxy)-1,3- phenylene]bis(methylene)]bisoxirane	13561-08-5		0.024	mg
			Supplier	4-Methyl-2-Phenyl-1H-Imidazole	827-43-0		0.0072	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0008	mg
Lead Frame	1.29	mg	Supplier	Zinc (Zn)	7440-66-6		0.0015	mg
			Supplier	Iron (Fe)	7439-89-6		0.0303	mg
			Supplier	Copper (Cu)	7440-50-8		1.2578	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0004	mg
Lead Frame plating	0.02	mg	Supplier	Silver (Ag)	7440-22-4		0.02	mg
Mold Compound-Black	4.49	mg		Epoxy resin	proprietary data		0.2245	mg
			Supplier	Phenolic Resin	Proprietary Data		0.2245	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0898	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0224	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		3.9287	mg
Plating	1.19	mg	Supplier	Tin (Sn)	7440-31-5		1.19	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).