ASOCIATION CONNECTING ELECTRONICS INDUSTRIES® international and Pan	C. Bannockt	ourn. Illinois. A	Il rights reserved untions.	under both	This docume level parts, t	ent is a declarat	ion of the spencompasse	ubstances s all lowe	within the ma r level materia	nufacturer li lls for which	sted item. Not the manufactu	e: if the item is an arer has engineerin	assembly with lower g responsibility.	
	-21.1 IPC Web Site for Information on IPC-1752 Standard Form Distribution bit Distribution Distr				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					s Materials a	als and Mfg Information			
Supplier Information														
Company name* C			Company unique ID			Unique ID Authority					Response Date*			
onsemi											2025-06-04			
ontact Name Title - Contact			ct				Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product			duct Enviro Compliance			NA				Pr	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title -			itle - Representative			Phone - Representative*				En	Email - Representative*			
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Pr	Product-Env-Stewards@onsemi.com			
Requester Item Number	er Mfr Item Numl		Number Mfr Item Name			Effective Date	Version Manufacturing Site		Site	Weight*	UOM	Unit Type		
	NCP698	NCP698SQ30T1G 150		150MA CMOS LDO		2025-06-04		1	MY1		7.22	mg	Each	
Manufacturing Proccess Informat	ion													
Terminal Plating / Grid Array Ma	ng / Grid Array Material Terminal Base Alloy		Alloy	-STD-020 MSL Rating		Peak Process Body Temperature Max Time at		at Peak Tem	ak Temperature Number of Reflow Cycles		ycles			
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30		seconds 3			
Comments														
evel 1 - maximum time at peak temperatu	re during so	Idering is 10-3	0 seconds											
for more information regarding material	omposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified above may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union membe we independently verified such information. How heir contributions to the part, and those certificat anditions of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	nyls (PBB), Polybrominated Diphenyl Éthers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl oy the laws of the European Union member states) of the part identified above. If a homogeneous material within the part xemption you believe may apply. If the part is an assembly with lower level components, the declaration shall mining the compliance of its products with European Union member state laws that implement the RoHS Directive. Supplier may not have independently verified such information. However, in situations where Supplier has not fications regarding their contributions to the part, and those certifications are at least as comprehensive as the part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of arise regarding information the Supplier provides in this form. In the absence of such written agreement, the Supplier Acceptance * Accepted Tined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all ceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	h. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.13	mg	Supplier	Silicon (Si)	7440-21-3		0.13	mg
Die Attach	0.08	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0256	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0534	mg
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.001	mg
Lead Frame	1.31	mg	Supplier	Zinc (Zn)	7440-66-6		0.0013	mg
			Supplier	Iron (Fe)	7439-89-6		0.0301	mg
			Supplier	Copper (Cu)	7440-50-8		1.2772	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0013	mg
Mold Compound-Black	4.49	mg		Epoxy resin	proprietary data		0.211	mg
			Supplier	Phenol Resin	Proprietary Data		0.211	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0045	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		4.0634	mg
Plating	1.19	mg	Supplier	Tin (Sn)	7440-31-5		1.19	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).