| ASSOCIATION CONNECTING                      | © Copyright 2005. IPC,<br>international and Pan-Ar  | Bannockb                  | urn, Illinois. A          | ll rights reserved untions.       | under both   | This docum<br>level parts, t | ent is a declaration                           | ion of the s<br>encompasse | ubstances<br>es all lower | within the manufactu<br>r level materials for w | rer listed which the            | item. Note: i<br>manufacture    | f the item is an as<br>r has engineering | ssembly with lower responsibility. |  |
|---|---|---------------------------|---------------------------|-----------------------------------|--|------------------------------|--|----------------------------|---------------------------|---|---------------------------------|---------------------------------|--|------------------------------------|--|
| 1752-21.1                                   | IPC Web Site for Information on IPC-1752 Standard Form Type<br>http://www.ipc.org/IPC-175x Distribute |                           |                           |                                   | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |                              |  |                            |                           | ials and N                                      | als and Mfg Information         |                                 |  |                                    |  |
| Supplier Inform                             | ation   |                           |                           |                                   |  |                              |  |                            |                           |   |                                 |                                 |  |                                    |  |
| Company name*                               |   |                           | Company unique ID         |                                   |  |                              | Unique ID Authority                            |                            |                           |   |                                 | Response Date*                  |  |                                    |  |
| onsemi                                      |   |                           |                           |                                   |  |                              |  |                            |                           |   | 2025-0                          | 2025-09-17                      |  |                                    |  |
| Contact Name                                |   |                           | Title - Contact           |                                   |  |                              | Phone - Contact*                               |                            |                           |   | Email ·                         | Email - Contact*                |  |                                    |  |
| Product-Env-Stewards                        |   |                           | Product Enviro Compliance |                                   |  |                              | NA   |                            |                           |   | Produ                           | Product-Env-Stewards@onsemi.com |  |                                    |  |
| Authorized Represer                         | Title - Representative  |                           |                           |                                   | Phone - Representative*  |                              |  |                            | Email ·                   | Email - Representative*                         |                                 |                                 |  |                                    |  |
| Product-Env-Stewar                          | rds   | Product Enviro Compliance |                           |                                   |  | NA                           |  |                            |                           | Produ   | Product-Env-Stewards@onsemi.com |                                 |  |                                    |  |
| Requester                                   | Requester Item Number Mfr Item  |                           | n Number Mfr Item Name    |                                   |  |                              | Effective Date                                 | Version                    | Manufacturing Site        |   |                                 | Weight*                         | UOM                                      | Unit Type                          |  |
|   |   | NCT375DR2G DIG TEMP SI    |                           | DIG TEMP SEN                      | N 2 WIRE INTF  |                              | 2025-09-17                                     |                            | F                         | PH1   |                                 | 69.73                           | mg                                       | Each                               |  |
| Manufacturing I                             | Proccess Information  | n                         |                           |                                   |  |                              |  |                            |                           |   |                                 |                                 |  |                                    |  |
| Terminal Plating / Grid Array Material Term |   |                           | erminal Base A            | rminal Base Alloy J-STD-020 MSL R |  |                              | Peak Process Body Temperature Max Time at Peal |                            |                           | Temperature Number of Reflow Cycles             |                                 |                                 |  |                                    |  |
| Matte Tin (Sn) - annealed CU Alloy          |   |                           |                           |                                   | 1  |                              | 260  |                            | С                         | 30  | seco                            | nds 3                           |  |                                    |  |
| Comments                                    |   |                           |                           |                                   |  |                              |  |                            |                           |   |                                 |                                 |  |                                    |  |
| evel 1 - maximum ti                         | me at peak temperature o  | during sol                | dering is 10-3            | 0 seconds                         |  |                              |  |                            |                           |   |                                 |                                 |  |                                    |  |
| or more informatio                          | n regarding material con  | position                  | please refer to           | page 3                            |  |                              |  |                            |                           |   |                                 |                                 |  |                                    |  |

| RoHS Material Composition Declaration  |   |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |  |
|--|---|--|---|---|---|--|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP). |  |   |   |   |  |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the  | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa   | ances per the definitio  | on above  | Supplier Acceptance                             | * Accepted  |  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per  | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU  |  |   |   |   |  |  |  |  |  |  |  |
| Declaration Signature  |   |  |   |   |   |  |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester   | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska   | Le   |   |   |   |  |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight  | Unit of Measure |
|----------------------|--------|-----------------|----------|----------------------------|------------------|--------|---------|-----------------|
| Die                  | 0.17   | mg              | Supplier | Silicon (Si)               | 7440-21-3        | 2      | 0.17    | mg              |
| Die Attach           | 0.1    | mg              |          | Epoxy resin                | proprietary data |        | 0.01    | mg              |
|                      |        |                 | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.08    | mg              |
|                      |        |                 | Supplier | Formaldehyde Polymer       | 9003-36-5        |        | 0.01    | mg              |
| Lead Frame           | 37.61  | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 0.8049  | mg              |
|                      |        |                 | Supplier | Zinc (Zn)                  | 7440-66-6        |        | 0.0489  | mg              |
|                      |        |                 | Supplier | Iron (Fe)                  | 7439-89-6        |        | 0.9026  | mg              |
|                      |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 35.8235 | mg              |
|                      |        |                 | Supplier | Phosphorus (P)             | 7723-14-0        |        | 0.0301  | mg              |
| Mold Compound-Black  | 29.77  | mg              |          | Epoxy resin                | proprietary data |        | 1.4885  | mg              |
|                      |        |                 | Supplier | Phenolic Resin             | Proprietary Data |        | 0.5954  | mg              |
|                      |        |                 | Supplier | Ortho Cresol Novolac Resin | 29690-82-2       |        | 0.7442  | mg              |
|                      |        |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 0.1488  | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 26.793  | mg              |
| Plating              | 1.89   | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 1.89    | mg              |
| Wire Bond - Au       | 0.19   | mg              | Supplier | Gold (Au)                  | 7440-57-5        |        | 0.19    | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).