ASSOCIATION CONNECTING LECTRONICS INDUSTRIES	PC. Bannock	burn. Illinois. A	ll rights reserved untions.	under both	This docum level parts, t	ent is a declarat	ion of the su	ubstances s all lower	within the n r level mater	nanufacture rials for wh	er listed item ich the manu	Note: if	the item is an as has engineering	sembly with lower responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribution				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*				
onsemi											2025-05-11			
Contact Name Title - Contact			et	Phone - (- Contact*			Email - Contact*				
Product-Env-Stewards Produc			oduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative			entative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards Produc			roduct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	ster Item Number Mfr Item N		Number Mfr Item Name			Effective Date	Version	N	Manufacturing Site		Wei	ght*	UOM	Unit Type
	NCV70: G	NCV70516MW1AR2 NCV70516MW1 G		AR2G		2025-05-11		F	PH1		69.4	8	mg	Each
Manufacturing Proccess Informa	tion													
Terminal Plating / Grid Array Ma	ng / Grid Array Material Terminal Base Al		Alloy	J-STD-020 MSL Rating		Peak Proc	ak Process Body Temperatur		ure Max Time at Peak Temper		Femperature	mperature Number of Reflow Cycles		cles
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30		seconds	3		
Comments														
evel 1 - maximum time at peak temperatu	ire during so	dering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.64	mg	Supplier	Silicon (Si)	7440-21-3		4.64	mg
Die Attach	1.89	mg	Supplier	Silver (Ag)	7440-22-4		1.6065	mg
			Supplier	Acrylic resins	Proprietary Data		0.2835	mg
Lead Frame 3	30.19	mg	Supplier	Tin (Sn)	7440-31-5		0.0755	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0664	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0755	mg
			Supplier	Copper (Cu)	7440-50-8		29.9726	mg
lead Frame plating	0.97	mg	Supplier	Silver (Ag)	7440-22-4		0.97	mg
Mold Compound-Black	28.84	mg	Supplier	Silica Amorphous (SiO2)	7631-86-9		2.3072	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1442	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.5768	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		22.6394	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		2.3072	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.8652	mg
lating	2.73	mg	Supplier	Tin (Sn)	7440-31-5		2.73	mg
Wire Bond - Au	0.22	mg	Supplier	Gold (Au)	7440-57-5		0.22	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).