ABBOGIATION CONNECTING ELECTRONICS INDUSTRIES® INFORMATION CONNECTING	kburn. Illinois. A	Il rights reserved un ntions.	ider both le	his docume vel parts, tl	ent is a declaration he declaration en	n of the substand compasses all lo	es within the manufactur wer level materials for w	er listed it hich the m	em. Note: if anufacturer	the item is an as has engineering	sembly with lower responsibility.	
IPC Web Site for Information of http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information								
Supplier Information												
mpany name* Company unique ID				Unique ID Authority				Response Date*				
onsemi									2024-05-04			
Contact Name	Title - Contact			1	Phone - Contact*			Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance				NA			Product-Env-Stewards@onsemi.com				
athorized Representative* Title - Representative]	Phone - Representative*				Email - Representative*			
Product-Env-Stewards Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Ite	m Number	Mfr Item Name			Effective Date	Version	Manufacturing Site		Veight*	UOM	Unit Type	
NCV7	329MW0R2G NCV7329 QFN				2024-05-04		BE4	2	3.83	mg	Each	
Manufacturing Proccess Information												
Terminal Plating / Grid Array Material	Terminal Base Alloy J-STI		STD-020 MSL R	Rating	Peak Process Body Temperatu		ture Max Time at Peak	Temperati	are Numbe	er of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy 1					260	С	30	second	is 3			
Comments												
evel 1 - maximum time at peak temperature during	oldering is 10-3	0 seconds										
For more information regarding material composition	n please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted	
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Iomogeneous Material Weight Unit of Meas		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.45	mg	Supplier	Silicon (Si)	7440-21-3		0.45	mg
Die Attach Tape	0.15	mg	Supplier	Oxirane, (chloromethyl)-, homopolymer	24969-06-0		0.0225	mg
			Supplier	2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and methyl 2- methyl-2-propenoate	25035-69-2		0.0225	mg
			Supplier	Proprietary	Proprietary Data		0.015	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.0675	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0225	mg
Lead Frame	9.73	mg	Supplier	Tin (Sn)	7440-31-5		0.0243	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0214	mg
			Supplier	Chromium (Cr)	7440-47-3		0.0243	mg
			Supplier	Copper (Cu)	7440-50-8		9.6599	mg
Lead Frame plating	0.2	mg	Supplier	Silver (Ag)	7440-22-4		0.2	mg
Mold Compound-Black	12.2	mg	Supplier	Silica Amorphous (SiO2)	7631-86-9		0.976	mg
			Supplier	Carbon Black (C)	1333-86-4		0.061	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.244	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		9.577	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.976	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.366	mg
Plating	0.75	mg	Supplier	Tin (Sn)	7440-31-5		0.75	mg
Wire Bond - Au	0.35	mg	Supplier	Gold (Au)	7440-57-5		0.35	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).