© Coj	erial Composition pyright 2005. IPC, Ba ational and Pan-Ame	annockbu	rn, Illinois. A	ll rights reserved untions.	under both	This docum level parts,	ent is a decla the declaration	aration on enco	of the substances ompasses all lowe	s within the manufactu er level materials for w	rer listed i which the n	tem. Note: nanufacture	if the item is an as er has engineering	sembly with lower responsibility.	
					Form Type Distribute	e *	<ul> <li>* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi</li> </ul>					ials and Mfg Information			
Supplier Information															
Company name*			Company unique ID			Unique ID Authority					Response Date*				
onsemi											2025-07	2025-07-15			
Contact Name 7			Title - Contact				Phone - Contact*				Email -	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* T			Title - Representative			Phone - Representative*			Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Requester Item N	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective D	Date V	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	Ν	NCV7450DB0R2G C.		CAN 250mA LDO HS DRV			2025-07-15	5		PHG		62.7	mg	Each	
Manufacturing Procce	ess Information			•			•								
Terminal Plating / Grid Array Material Terminal Ba			rminal Base A	Alloy J-STD-020 MSL Rating			Peak Process Body Temperature Max Time at Peak			Temperature Number of Reflow Cycles					
Matte Tin (Sn) - annealed CU Alloy			U Alloy		2		260		С	30	secon	nds 3			
Comments															
ATTENTION: MSL 2 Rated	d item requires Dry	Pack (af	ter electrical	test)											
For more information regar	ding material comp	osition pl	lease refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	5.3	mg	Supplier	Silicon (Si)	7440-21-3		5.3	mg		
Die Attach	1.3	mg		Epoxy resin	proprietary data		0.26	mg		
			Supplier	Silver (Ag)	7440-22-4		1.04	mg		
Lead Frame	32.6	mg	Supplier	Silver (Ag)	7440-22-4		0.0978	mg		
			Supplier	Magnesium (Mg)	7439-95-4		0.0326	mg		
			Supplier	Silicon (Si)	7440-21-3		0.2282	mg		
			В	Nickel (Ni)	7440-02-0		0.978	mg		
			Supplier	Copper (Cu)	7440-50-8		31.2634	mg		
Mold Compound-Black	22.9	mg		Epoxy resin	proprietary data		1.603	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0687	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		20.839	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.3893	mg		
Plating	0.5	mg	Supplier	Tin (Sn)	7440-31-5		0.5	mg		
Wire Bond - Au	0.1	mg	Supplier	Gold (Au)	7440-57-5		0.1	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3