© Co	t erial Composit pyright 2005. IPC, H national and Pan-Am	Bannockbi	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	ration of on encom	the substance the substance appasses all low	es within ver level	the manufactu materials for w	rer listed it hich the m	em. Not anufact	te: if the urer has	item is an ass engineering re	embly with lowe sponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	als and Mfg Information				
Supplier Information																
Company name*			Company unique ID			Unique ID Authority					Respons	Response Date*				
onsemi												2025-06-	2025-06-06			
Contact Name			Title - Contact				Phone - Contact*					Email -	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com						
Requester Item N	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date Version Manufacturing		cturing Site	Weight*		:	UOM	Unit Type		
	NLSV8T		244MUTAG	UTAG SBN 8-BIT TRANSLATOR			2025-06-06	5		MY1		7	.77		mg	Each
Manufacturing Procee	ess Information									•						
Terminal Plating / Grid Array Material		1 Te	rminal Base Alloy J-ST		J-STD-020 MS	MSL Rating		Peak Process Body Temperatu		ure Max Time at Peak Ten		Temperat	emperature Number of		Reflow Cycle	es
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			U Alloy	1			260	260 C		30	30 se		seconds 3			
Comments																
evel 1 - maximum time at p	eak temperature d	uring solo	dering is 10-3	0 seconds												
or more information rega	rding material com	position p	lease refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.17	mg	Supplier	Silicon (Si)	7440-21-3		0.17	mg
Die Attach	0.3	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.096	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.204	mg
Lead Frame	1.825	mg	Supplier	Zinc (Zn)	7440-66-6		0.0018	mg
			Supplier	Iron (Fe)	7439-89-6		0.0402	mg
			Supplier	Copper (Cu)	7440-50-8		1.783	mg
Mold Compound-Black	5.38	mg		Epoxy Phenol Resin	proprietary data		0.4842	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		4.8958	mg
Plating	0.025	mg	Supplier	Palladium (Pd)	7440-05-3		0.0008	mg
			В	Nickel (Ni)	7440-02-0		0.0239	mg
			Supplier	Gold (Au)	7440-57-5		0.0003	mg
Wire Bond - Au	0.07	mg	Supplier	Gold (Au)	7440-57-5		0.07	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).