NOIP1FN016KA-GTI P	Distribute ue ID Compliance ntative		ct*	Respons 2025-07- Email - 0 Product	e Date* 17 Contact* :-Env-Stewards@onsemi.	com		
Company name* Company unique Insemi Contact Name Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Requester Item Number Mfr Item Number MroIP1FN016KA-GTI Proproduct Product	Compliance ntative	Phone - Contac NA Phone - Repres	ct*	2025-07- Email - 0 Product	.17 Contact* :-Env-Stewards@onsemi.	com		
Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Product-Env-Stewards Requester Item Number Mfr Item Number NOIP1FN016KA-GTI Product-Env-Oteman Minimal Min	Compliance ntative	Phone - Contac NA Phone - Repres	ct*	2025-07- Email - 0 Product	.17 Contact* :-Env-Stewards@onsemi.	com		
Product-Env-Stewards Product Enviro & Title - Contact Authorized Representative* Title - Representative* Product-Env-Stewards Product Enviro & Mrr Item Number Mrr Item Numb	ntative	NA Phone - Repres		Email - 0 Product	Contact* :-Env-Stewards@onsemi.	com		
Product-Env-Stewards Authorized Representative* Product-Env-Stewards Requester Item Number NOIP1FN016KA-GTI Product Environe NoiP1FN016KA-G	ntative	NA Phone - Repres		Product	-Env-Stewards@onsemi.	com		
Product-Env-Stewards Requester Item Number NOIP1FN016KA-GTI Pipt	ntative	Phone - Repres	sentative*			com		
Product-Env-Stewards Product Enviro (Requester Item Number Mfr Item Number M NOIP1FN016KA-GTI P pr		Î	sentative*	Email - 1	Representative*			
Requester Item Number Mfr Item Number M NOIP1FN016KA-GTI P pt	Compliance	NA				Email - Representative*		
NOIP1FN016KA-GTI P		1111		Product	Product-Env-Stewards@onsemi.com			
pi	n Number Mfr Item Name		ve Date Version Manufacturing Site		Weight* UOM	Unit Type		
	PYTHON 16MP NIR Image Sensor with protective foil	ith 2025-07-17	THA	1	4408.294 mg	Each		
Anufacturing Proccess Information								
Terminal Plating / Grid Array Material Terminal Base Allo	loy J-STD-020 MSL Ratin	ng Peak Proc	cess Body Temperature Max	Time at Peak Temperatu	Number of Reflow Cycles			
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)	NA	0	C 30	second	ds 3			
omments								

RoHS Material Composition Declaration			Declaration Type *	Detail	ed			
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).								
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of			
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted			
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose a applicable exemptions.								
Exemption List Version	EL-2011/534/EU							
Declaration Signature								
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	10733.9	mg	Supplier	Cobalt (Co)	7440-48-4		77.2841	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		46.1558	mg
			Supplier	Silver (Ag)	7440-22-4		60.1098	mg
			Supplier	Molybdenum (Mo)	7439-98-7		45.0824	mg
			Supplier	Tungsten (W)	7440-33-7		893.0605	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		92.3115	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		322.017	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		8382.1025	mg
			В	Nickel (Ni)	7440-02-0		172.8158	mg
			Supplier	Gold (Au)	7440-57-5		27.9081	mg
			Supplier	Iron (Fe)	7439-89-6		245.8063	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		358.5123	mg
			Supplier	Copper (Cu)	7440-50-8		10.7329	mg
Die	1422.37	mg	Supplier	Silicon (Si)	7440-21-3		1422.37	mg
Die Attach	0.004	mg	Supplier	Silver (Ag)	7440-22-4		0.0034	mg
			Supplier	Epoxy resins	129915-35-1		0.0006	mg
Glass Attach Epoxy	0.21	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		0.0006	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		0.0005	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.0872	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.0332	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		0.0828	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0056	mg
Glass Lid /Cap	2247.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		188.8152	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1346.8818	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		178.0258	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		178.0258	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		356.0515	mg
Wire Bond - Al	4.01	mg	Supplier	Aluminum (Al)	7429-90-5		4.01	mg