| 1 | Company unique ID Title - Contact Product Enviro Compliance Title - Representative | Form Type * Distribute | Unique ID Author Phone - Contac | ority | Homogeneous Materi | Response Da 2024-04-19 Email - Con | ate* | | | | |
|--|---|-------------------------|---------------------------------|-------------------------------|-------------------------|--|-------|-------------------------|-----------|--|--|
| Company name* onsemi Contact Name Product-Env-Stewards Authorized Representative* Product-Env-Stewards Requester Item Number Mfr It | Title - Contact Product Enviro Compliance Title - Representative | | Phone - Contac | | | 2024-04-19 Email - Con | | | | | |
| nsemi Contact Name Product-Env-Stewards Authorized Representative* Product-Env-Stewards Requester Item Number Mfr It | Title - Contact Product Enviro Compliance Title - Representative | | Phone - Contac | | | 2024-04-19 Email - Con | | | | | |
| Contact Name Product-Env-Stewards Authorized Representative* Product-Env-Stewards Requester Item Number Mfr It | Product Enviro Compliance Title - Representative | | NA | rt* | | Email - Con | tact* | | | | |
| Product-Env-Stewards Authorized Representative* Product-Env-Stewards Requester Item Number Mfr It | Product Enviro Compliance Title - Representative | | NA | ct* | | | tact* | | | | |
| Product-Env-Stewards Requester Item Number Mfr It | Title - Representative | | | | | 1 | | Email - Contact* | | | |
| Product-Env-Stewards Requester Item Number Mfr It | | | Phone - Repres | | | Product-Env-Stewards@onsemi.com | | | | | |
| Requester Item Number Mfr It | | | Phone - Representative* | | | Email - Representative* | | | | | |
| 1 | Product Enviro Compliance | | NA | NA | | Product-Env-Stewards@onsemi.com | | | | | |
| NOIP | tem Number Mfr Item Name | | Effective Date | Version | sion Manufacturing Site | | ght* | UOM | Unit Type | | |
| 1 | P1FN025KA-GTI PYTHON 25MP protective foil | P NIR Image Sensor with | 2024-04-19 | | ГНА | 1440 | 8.294 | mg | Each | | |
| Manufacturing Process Information | | | | | | | | | | | |
| Terminal Plating / Grid Array Material | Terminal Base Alloy | by J-STD-020 MSL Rating | | Peak Process Body Temperature | | re Max Time at Peak Temperature | | Number of Reflow Cycles | | | |
| Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) | CU Alloy | NA | | 0 C | | seconds 3 | | | | | |
| Comments | | · | · · | | | · · | | | | | |

| RoHS Material Composition Declaration | | | Declaration Type * | Detail | ed |
|--|---|---|---|---|---|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU | | ium (Cr6+), Polybrominated Biphenyls (PB) | erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a | | |
| cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan | nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimusy and the Supplier enter into a written agree yesource of the Supplier's liability and the C | enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega | s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this | dentified above. If a ally with lower level in is true and correct at it in member state la mation. However, in ose certifications are ag any warranty righ | homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of |
| RoHS Declaration * 1 - Item | (s) does not contain RoHS restricted substar | nces per the definition above | Supplier A | cceptance * | Accepted |
| Exemption: If the declared item does not applicable exemptions. | contain RoHS restricted substances per t | he definition above except for defined Rol | IS exemptions, then select the corresponding | response in the R | oHS Declaration above and choose all |
| Exemption List Version | EL-2011/534/EU | | | | |
| Declaration Signature | | | | | |
| | | | | | |
| | | e "Accepted" on the Supplier Acceptance | drop-down. This will display the signature a | rea. Digitally sign t | the declaration (if required by the |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

| Homogeneous Material | Weight | Unit of Measure | Level | Substance | CAS | Exempt | Weight | Unit of Measure |
|----------------------|---------|-----------------|----------|--|-------------|--------|-----------|-----------------|
| Ceramic Substrate | 10733.9 | mg | Supplier | Cobalt (Co) | 7440-48-4 | | 77.2841 | mg |
| | | | Supplier | Titanium Dioxide (TiO2) | 13463-67-7 | | 46.1558 | mg |
| | | | Supplier | Silver (Ag) | 7440-22-4 | | 60.1098 | mg |
| | | | Supplier | Molybdenum (Mo) | 7439-98-7 | | 45.0824 | mg |
| | | | Supplier | Tungsten (W) | 7440-33-7 | | 893.0605 | mg |
| | | | Supplier | Magnesium Monoxide (MgO) | 1309-48-4 | | 92.3115 | mg |
| | | | Supplier | Silica Amorphous (SiO2) | 7631-86-9 | | 322.017 | mg |
| | | | Supplier | Aluminum Trioxide (Al2O3) | 1344-28-1 | | 8382.1025 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 172.8158 | mg |
| | | | Supplier | Gold (Au) | 7440-57-5 | | 27.9081 | mg |
| | | | Supplier | Iron (Fe) | 7439-89-6 | | 245.8063 | mg |
| | | | Supplier | Chromium Trioxide (Cr2O3) | 1308-38-9 | | 358.5123 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 10.7329 | mg |
| Die | 1422.37 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 1422.37 | mg |
| Die Attach | 0.004 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 0.0034 | mg |
| | | | Supplier | Epoxy resins | 129915-35-1 | | 0.0006 | mg |
| Glass Attach Epoxy | 0.21 | mg | Supplier | 2,3-epoxypropyl-trimethoxysilan | 2530-83-8 | | 0.0006 | mg |
| | | | Supplier | N-[3- (Trimethoxysilyl)propyl]ethylenediamine | 1760-24-3 | | 0.0005 | mg |
| | | | Supplier | Bisphenol A_Epichlorohydrin Polymer | 25068-38-6 | | 0.0872 | mg |
| | | | Supplier | 4,4'-Diaminodiphenyl Sulfone (DDS-4,4') | 80-08-0 | | 0.0332 | mg |
| | | | Supplier | Filler (SiO2?C2H6Cl2Si) | 68611-44-9 | | 0.0828 | mg |
| | | | Supplier | Carbon Black (C) | 1333-86-4 | | 0.0056 | mg |
| Glass Lid /Cap | 2247.8 | mg | Supplier | Boron Trioxide (B2O3) | 1303-86-2 | | 188.8152 | mg |
| | | | Supplier | Silica Amorphous (SiO2) | 7631-86-9 | | 1346.8818 | mg |
| | | | Supplier | Barium Monoxide (BaO) | 1304-28-5 | | 178.0258 | mg |
| | | | Supplier | Aluminum Trioxide (Al2O3) | 1344-28-1 | | 178.0258 | mg |
| | | | Supplier | Calcium Monoxide (CaO) | 1305-78-8 | | 356.0515 | mg |
| Wire Bond - Al | 4.01 | mg | Supplier | Aluminum (Al) | 7429-90-5 | | 4.01 | mg |