IPC ASSOCIATION ELECTRONICS	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.											
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater						ials and Mfg Information				
upplier	Information																
Company	name*	Company uni	Company unique ID			Unique ID Authority					Respons	Response Date*					
nsemi													2024-04-20				
ontact Na	ame	Title - Contac	Title - Contact			Phone - Contact*					Email -	Email - Contact*					
Product-E	Env-Stewards	Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
uthorized	d Representative*	Title - Representative			1	Phone - Representative*				Email - Representative*							
Product-E	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com							
	Requester Item Number	uester Item Number Mfr Item Number Mfr Item Name NOIV1SE025KA-GTI VITA25K COLOR protective foil			Number Mfr Item Name			Effective Date Version Manufac		anufacturing Site V		Weigh	nt*	UOM	Unit Type		
					OR ML PGA355	5 with	2024-04-20 THA				14408.294		.294	mg	Each		
Ianufa	cturing Proccess Informat	ion															
	Terminal Plating / Grid Array Material		Γerminal Base Alloy J-S		J-STD-020 MS	MSL Rating P		Peak Process Body Temperature		ure Max Time at Peak Temper		k Temperat	ure :	e Number of Reflow Cycles		eles	
	Precious metal (e.g. Ag,Au, NiPosn)	CU Alloy NA		NA		0	C		30		secon	seconds 3					
omments									•			-					
or more i	information regarding material	composition	please refer to	page 3		<u> </u>					<u> </u>						

RoHS Material Composition Declaration			Declaration Type *	Detail	ed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).												
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's St												
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	10733.9	mg	Supplier	Cobalt (Co)	7440-48-4		77.2841	mg
			Supplier	Titanium Dioxide (TiO2)	13463-67-7		46.1558	mg
			Supplier	Silver (Ag)	7440-22-4		60.1098	mg
			Supplier	Molybdenum (Mo)	7439-98-7		45.0824	mg
			Supplier	Tungsten (W)	7440-33-7		893.0605	mg
			Supplier	Magnesium Monoxide (MgO)	1309-48-4		92.3115	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		322.017	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		8382.1025	mg
			В	Nickel (Ni)	7440-02-0		172.8158	mg
			Supplier	Gold (Au)	7440-57-5		27.9081	mg
			Supplier	Iron (Fe)	7439-89-6		245.8063	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		358.5123	mg
			Supplier	Copper (Cu)	7440-50-8		10.7329	mg
Die	1422.37	mg	Supplier	Silicon (Si)	7440-21-3		1422.37	mg
Die Attach	0.004	mg	Supplier	Silver (Ag)	7440-22-4		0.0034	mg
			Supplier	Epoxy resins	129915-35-1		0.0006	mg
Glass Attach Epoxy	0.21	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		0.0006	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		0.0005	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.0872	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.0332	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		0.0828	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0056	mg
Glass Lid /Cap	2247.8	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		188.8152	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1346.8818	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		178.0258	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		178.0258	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		356.0515	mg
Wire Bond - Al	4.01	mg	Supplier	Aluminum (Al)	7429-90-5		4.01	mg