Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1		IPC Web Site for Information on IPC-1752 Standard				Form Type * Declaration Class * Distribute Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informatio							
Supplier	Information												
Company name*			Company unique ID			Unique ID Authority				Response Date*			
onsemi									2024-04-26				
Contact N	ame	Title -	Title - Contact			Phone - Contact*				Email - Contact*			
Product-H	Env-Stewards	Produc	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Authorize	d Representative*	Title - I	Title - Representative			Phone - Representative*				Email - Representative*			
Product-Env-Stewards			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
	Requester Item Number	quester Item Number Mfr Item Number		Mfr Item Name		Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	NOIX0SN020KB-GTI XGS20MP, 48p		rt, Mono 10D CRA		2024-04-26		UTT		18407.2	mg	Each		
Manufacturing Process Information													
	Terminal Plating / Grid Array Material Terminal		rminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperature Max Time at Pea		k Temperature Number of Reflow Cycles					
	Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) CU Alloy N.		NA		0 C 30		30	seconds 3					
Comments													
For more information regarding material composition please refer to page 3													

RoHS Material Composition Declaration			Declaration Type *	Detail	ed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.										
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the					

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	13879.8	mg	Supplier	Cobalt (Co)	7440-48-4		1.388	mg
			Supplier	Molybdenum (Mo)	7439-98-7		1.388	mg
			Supplier	Tungsten (W)	7440-33-7		166.5576	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		874.4274	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		12297.502	mg
			В	Nickel (Ni)	7440-02-0		38.8634	mg
			Supplier	Gold (Au)	7440-57-5		27.7596	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		471.9132	mg
Die	1011.6	mg	Supplier	Silicon (Si)	7440-21-3		1011.6	mg
Die Attach	147.4	mg	Supplier	Silver (Ag)	7440-22-4		125.29	mg
			Supplier	Epoxy resins	129915-35-1		22.11	mg
Glass Attach Epoxy	83.5	mg	Supplier	2,3-epoxypropyl-trimethoxysilan	2530-83-8		7.181	mg
			Supplier	N-[3- (Trimethoxysilyl)propyl]ethylenediamine	1760-24-3		5.7615	mg
			Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		34.736	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		0.2505	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		33.4	mg
			Supplier	Carbon Black (C)	1333-86-4		2.171	mg
Glass Lid /Cap	3252.8		Supplier	Boron Trioxide (B2O3)	1303-86-2		273.2352	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1934.7655	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		266.7296	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		257.6218	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		520.448	mg
Wire Bond - Au	32.1	mg	Supplier	Gold (Au)	7440-57-5		32.1	mg