ABSOCIATION CONNECTING ELECTRONICS WOUSTRIES® MAterial Comp © Copyright 2005. I international and Par	PC, Bannock	burn, Illinois. A	ll rights reserved u ntions.	under both	This docume level parts, t	ent is a decla the declaratio	ration o n encor	of the substan mpasses all lo	ces with ower lev	in the manufac el materials for	turer listed is which the r	item. N nanufa	Note: if th acturer ha	he item is an as as engineering	ssembly with low responsibility.
	P1.1 IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					erials and M	ials and Mfg Information				
Supplier Information															
Company name*	ique ID Unic			Unique ID Authority					Respon	Response Date*					
nsemi												2025-05-05			
Contact Name	Title - Conta	Title - Contact			Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards	Product Enviro Compliance				NA					Produc	Product-Env-Stewards@onsemi.com				
uthorized Representative*	Title - Representative				Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards	Product Enviro Compliance n Number Mfr Item Name				NA				Produc	Product-Env-Stewards@onsemi.com					
Requester Item Number					Effective Date	ate V	te Version		Manufacturing Site		Weigh		UOM	Unit Type	
NSR20F30NXT5G			0603 FC SCHOT	503 FC SCHOTTKY DIODES					CNC	CNG		0.87		mg	Each
Ianufacturing Proccess Informa	tion										1			I	1
Terminal Plating / Grid Array Material T		Ferminal Base	ase Alloy J-STD-020 MS		L Rating	Peak Proces		s Body Temperature Max Time at Peak		ak Tempera	Temperature Number of Reflow		of Reflow Cyc	cles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С		30 se		nds	3		
omments															
vel 1 - maximum time at peak temperatu	re during so	ldering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).												
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on informationprovided by others in completing this form, and that Supplier may not have independently verified information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, itssuppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier's liability and the Company's remedies for sisues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms andConditions of Sale applicable to such part shall apply.												
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D]
select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3
sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.837	mg	Supplier	Silicon (Si)	7440-21-3		0.837	mg
Under Bump Metal	0.033	mg	В	Nickel (Ni)	7440-02-0		0.0299	mg
			Supplier	Gold (Au)	7440-57-5		0.0024	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0007	mg