| 00   | aterial Composit<br>Copyright 2005. IPC, I<br>ernational and Pan-Am                                  | Bannockbi                 | urn, Illinois. A           | ll rights reserved utions. | under both      | This docume<br>level parts, t  | ent is a declarat       | ion of the su<br>encompasse | ubstances v<br>s all lower             | within the manufactory<br>level materials for y | urer listed<br>which the i | item. Note:<br>nanufacture      | if the item is an as<br>er has engineering | ssembly with low responsibility. |  |
|--|--|---------------------------|----------------------------|----------------------------|-----------------|--|-------------------------|-----------------------------|--|---|----------------------------|---------------------------------|--|----------------------------------|--|
|  | IPC Web Site for Information on IPC-1752 Standard Form Typ<br>http://www.ipc.org/IPC-175x Distribute |                           |                            |                            | *               | Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materials ar |                         |                             |  |   | and Mfg Information        |                                 |  |                                  |  |
| Supplier Information                               | n  |                           |                            |                            |                 |  | ·                       |                             |  |   |                            |                                 |  |                                  |  |
| Company name*                                      |  |                           | Company unique ID          |                            |                 |  | Unique ID Authority     |                             |  |   | Respon                     | Response Date*                  |  |                                  |  |
| onsemi   |  |                           |                            |                            |                 |  |                         |                             |  |   | 2025-06                    | 2025-06-08                      |  |                                  |  |
| Contact Name 7                                     |  |                           | Title - Contact            |                            |                 |  | Phone - Contact*        |                             |  |   | Email -                    | Email - Contact*                |  |                                  |  |
| Product-Env-Stewards                               |  |                           | Product Enviro Compliance  |                            |                 |  | NA                      |                             |  |   | Produ                      | Product-Env-Stewards@onsemi.com |  |                                  |  |
| Authorized Representative*                         |  |                           | Title - Representative     |                            |                 |  | Phone - Representative* |                             |  |   | Email -                    | Email - Representative*         |  |                                  |  |
| Product-Env-Stewards                               |  |                           | Product Enviro Compliance  |                            |                 |  | NA                      |                             |  |   | Produ                      | Product-Env-Stewards@onsemi.com |  |                                  |  |
| Requester Item Number Mfr I                        |  | Mfr Item                  | em Number Mfr Item Name    |                            |                 |  | Effective Date          | Version                     | Ν                                      | Manufacturing Site CN1                          |                            | Weight*                         | UOM  | Unit Type                        |  |
|  |  | NSVDTC144EM3T5G SS SOT723 |                            | SS SOT723 BR 2             | 723 BR XSTR NPN |  | 2025-06-08              |                             | С                                      |   |                            | 1.275                           | mg   | Each                             |  |
| Anufacturing Proc                                  | cess Information   |                           |                            |                            |                 |  | -                       |                             |  |   |                            |                                 |  |                                  |  |
| Terminal Plating / Grid Array Material Terminal Ba |  | erminal Base A            | Alloy J-STD-020 MSL Rating |                            | L Rating        | Peak Process Body Temperature Max Time at 1                            |                         | e Max Time at Pea           | ak Temperature Number of Reflow Cycles |   |                            |                                 |  |                                  |  |
| Matte Tin (Sn) - annealed CU A                     |  |                           | U Alloy                    | loy 1                      |                 |  | 260 C 30                |                             |  | seco  | seconds 3                  |                                 |  |                                  |  |
| omments  |  |                           |                            |                            |                 |  |                         |                             |  |   |                            |                                 |  |                                  |  |
| vel 1 - maximum time at                            | t peak temperature d   | uring sole                | dering is 10-3             | ) seconds                  |                 |  |                         |                             |  |   |                            |                                 |  |                                  |  |
| or more information reg                            | arding material com  | position r                | olease refer to            | page 3                     |                 |  |                         |                             |  |   |                            |                                 |  |                                  |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *  | Detailed  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  |  | nium (Cr6+), Polybro   | ominated Biphenyls (PBB), Polybron  | dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth |   |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe  | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | ances per the definitio  | on above  | Supplier Acceptance   | * Accepted  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |
| Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.                                      |  |  |   |   |   |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

| sigma range of distribution unless otherwise noted). |        |                 |          |                              |            |        |        |                 |  |
|--|--------|-----------------|----------|------------------------------|------------|--------|--------|-----------------|--|
| Homogeneous Material                                 | Weight | Unit of Measure | Level    | Substance                    | CAS        | Exempt | Weight | Unit of Measure |  |
| Die  | 0.13   | mg              | Supplier | Silicon (Si)                 | 7440-21-3  |        | 0.13   | mg              |  |
| Lead Frame   | 0.28   | mg              | Supplier | Silver (Ag)                  | 7440-22-4  |        | 0.0255 | mg              |  |
|  |        |                 | В        | Nickel (Ni)                  | 7440-02-0  |        | 0.103  | mg              |  |
|  |        |                 | Supplier | Iron (Fe)                    | 7439-89-6  |        | 0.1414 | mg              |  |
|  |        |                 | Supplier | Copper (Cu)                  | 7440-50-8  |        | 0.0101 | mg              |  |
| Mold Compound-Black                                  | 0.86   | mg              | Supplier | Ortho Cresol Novolac Resin   | 29690-82-2 |        | 0.086  | mg              |  |
|  |        |                 | Supplier | Carbon Black (C)             | 1333-86-4  |        | 0.0043 | mg              |  |
|  |        |                 | Supplier | Aluminum Hydroxide (Al(OH)3) | 21645-51-2 |        | 0.1247 | mg              |  |
|  |        |                 | Supplier | Fused Silica (SiO2)          | 60676-86-0 |        | 0.559  | mg              |  |
|  |        |                 | Supplier | Phenolic Resin (Novolac)     | 9003-35-4  |        | 0.086  | mg              |  |
| Plating  | 0.003  | mg              | Supplier | Tin (Sn)                     | 7440-31-5  |        | 0.003  | mg              |  |
| Wire Bond - Cu                                       | 0.002  | mg              | Supplier | Copper (Cu)                  | 7440-50-8  |        | 0.002  | mg              |  |