ABSOCIATION CONNECTING ELECTRONICS (MOUSTRIES) MAterial Composition D © Copyright 2005. IPC, Bannov international and Pan-American	kburn, Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declara he declaration	tion of the encompass	substance es all low	s within the manufactu er level materials for w	rer listed which the r	item. Note: nanufacture	if the item is an as r has engineering	sembly with lower responsibility.	
IPC Web Site for Information o http://www.ipc.org/IPC-175x	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute			*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Information													
Company name* Company unique ID			Unique			e ID Authority			Respon	Response Date*			
nsemi									2024-04	2024-04-23			
Contact Name	Title - Contact				Phone - Contact*				Email - Contact*				
Product-Env-Stewards	uct-Env-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative				Phone - Representative*					Email - Representative*				
Product-Env-Stewards Product Enviro Compliance			NA						Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr It	em Number	Mfr Item Name			Effective Da	e Versio	1	Manufacturing Site		Weight*	UOM	Unit Type	
NTHI	3101FT1G	101FT1G COMP CHPFT 20V 4		Н	2024-04-23		MY1			13.3	mg	Each	
Manufacturing Proccess Information													
Terminal Plating / Grid Array Material	Terminal Base Alloy J-		-STD-020 MSL	Rating	Peak Process Boo		Body Temperature Max Time at Peak		k Tempera	ture Num	ber of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU Alloy 1			l		260		С	30	seco	nds 3			
Comments													
level 1 - maximum time at peak temperature during	soldering is 10-3	0 seconds											
For more information regarding material composition	n please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	toHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl hthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.13	mg	Supplier	Silicon (Si)	7440-21-3		0.13	mg	
Die Attach	0.3	mg	Supplier	Silver (Ag)	7440-22-4		0.225	mg	
			Supplier	Epoxy resins	129915-35-1		0.075	mg	
Lead Frame 4.	4.67	mg	Supplier	Silver (Ag)	7440-22-4		0.2802	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0047	mg	
			Supplier	Iron (Fe)	7439-89-6		0.1027	mg	
			Supplier	Copper (Cu)	7440-50-8		4.2824	mg	
Mold Compound-Black	5.38	mg		Epoxy Phenol Resin	proprietary data		0.5649	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		4.8151	mg	
Plating	0.25	mg	Supplier	Tin (Sn)	7440-31-5		0.25	mg	
Wire Bond - Cu	2.57	mg	Supplier	Copper (Cu)	7440-50-8		2.57	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)