ASOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATIONAL AND PARTY	C. Bannockl	burn. Illinois. A	ll rights reserved untions.	under both	This docum level parts, t	ent is a declarat	ion of the s encompasse	ubstances s all lowe	within the r r level mate	manufacture erials for wh	er listed iten hich the mar	n. Note: i iufacturei	f the item is an as r has engineering	sembly with lowe responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form 7 http://www.ipc.org/IPC-175x Distrib				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials an					lls and Mfg	and Mfg Information			
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*					
nsemi											2024-04-19				
Contact Name	ct Name Title - Contact				Phone - Contact*						Email - Contact*				
Product-Env-Stewards Product En			Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Represen			entative			Phone - Representative*				Email - Representative*					
Product-Env-Stewards Prod			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Effective Date Version Manufacturing Sit		ing Site	We	ight*	UOM	Unit Type		
	NVATS G	ATS5A106PLZT4 PCH 4.5V DRIVE		E SERIES		2024-04-19		(CNG		262	2.59	mg	Each	
Manufacturing Proccess Informat	ion														
Terminal Plating / Grid Array Mat	terial Terminal Base A		Alloy	y J-STD-020 MSL Ratir		Peak Proc	Process Body Temperatur		are Max Time at Peak Temper		Temperature	e Numb	per of Reflow Cyd	eles	
contains Bi CU Alloy		CU Alloy		1		260		С	30		seconds	3			
Comments															
evel 1 - maximum time at peak temperatur	re during so	Idering is 10-3	0 seconds												
or more information regarding material o	omposition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.66	mg	Supplier	Silicon (Si)	7440-21-3		1.66	mg
Die Attach	2.85	mg	Supplier	Silver (Ag)	7440-22-4		0.0556	mg
			А	Lead (Pb)	7439-92-1	7a	2.6519	mg
			Supplier	Tin (Sn)	7440-31-5		0.1425	mg
Lead Frame	148.04	mg	Supplier	Tin (Sn)	7440-31-5		0.2221	mg
			Supplier	Copper (Cu)	7440-50-8		147.8179	mg
Mold Compound-Black	106.73	mg		Phenolic Resin	proprietary data		2.6683	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		8.8052	mg
			Supplier	Carbon Black (C)	1333-86-4		0.5336	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		94.1892	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.5336	mg
Plating	3.31	mg	В	Bismuth (Bi)	7440-69-9		0.0199	mg
			Supplier	Tin (Sn)	7440-31-5		3.2901	mg