© Copyr	ial Composition right 2005. IPC, Ban onal and Pan-Ameri	nockburn, Illinoi	. All rights reserved ventions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	ibstances v s all lower	vithin the manufact level materials for	which the	item. Note: nanufactur	if the item is an as er has engineering	sembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					erials and N	als and Mfg Information			
upplier Information														
Company name*			Company unique ID			Unique ID Authority				Respor	Response Date*			
onsemi										2024-0	2024-05-03			
Contact Name Title -			Fitle - Contact			Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards F			Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative* Tit			Title - Representative			Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr It		fr Item Number	em Number Mfr Item Name			Effective Date	Version	ion Manufacturing Site			Weight*	UOM	Unit Type	
	NZ	NZ9F6V8ST5G SOD-9		OD-923 EUT SNGL LPS PBF		2024-05-03 C		CN1		0.443	mg	Each		
Ianufacturing Proccess	Information													
Terminal Plating / Gr	Terminal Plating / Grid Array Material Terminal Base A		se Alloy	J-STD-020 MS	Peak Process Body Temperature Max Time at Peak			ak Tempera	Temperature Number of Reflow Cycles					
Matte Tin (Sn) - annealed CU		CU Alloy	oy 1			260	260 C 30		30	seco	seconds 3			
omments														
vel 1 - maximum time at peak	k temperature duri	ing soldering is 1	0-30 seconds											
or more information regardin	ng material compos	sition please refe	to page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.03	mg	Supplier	Silicon (Si)	7440-21-3		0.03	mg	
Lead Frame	0.21	mg	Supplier	Silver (Ag)	7440-22-4		0.0374	mg	
			В	Nickel (Ni)	7440-02-0		0.0649	mg	
			Supplier	Iron (Fe)	7439-89-6		0.0897	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0181	mg	
Mold Compound-Black	0.19	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.019	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0009	mg	
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.0275	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.1235	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.019	mg	
Plating	0.01	mg	Supplier	Tin (Sn)	7440-31-5		0.01	mg	
Wire Bond - Cu	0.003	mg	Supplier	Copper (Cu)	7440-50-8		0.003	mg	