IPC ASSOCIATION ELECTRONIC	Material Compo © Copyright 2005. II cs INDUSTRIES® international and Pan	PC, Bannockb	urn, Illinois. A	all rights reserved un	nder both	This docume level parts, t	ent is a declaration	ation of	the substances npasses all lowe	within th	e manufactu aterials for w	rer listed in which the m	em. Note anufactu	e: if the item i arer has engine	s an assem eering resp	ably with low oonsibility.
1752-21.1	.1 IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				Form Type * Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	fg Inform	nation			
Supplie	r Information															
Company name* Company unique ID				ique ID	Unique			Jnique ID Authority					Response Date*			
nsemi												2025-07-17				
Contact N	Jame	Title - Contact			1	Phone - Contact*					Email - Contact*					
Product-l	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com						
uthorize	ed Representative*	Title - Representative			1	Phone - Representative*				Email - Representative*						
Product-l	Env-Stewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date Version Manufactur		turing Site Weight*		UOM	I	Unit Type			
		QRE1113GR		4L REFLECT SNSR T&R			2025-07-17		1	EVERLGFG		47.893		mg		Each
<b>J</b> anufa	cturing Proccess Informat	tion														
	Terminal Plating / Grid Array Material Ter		erminal Base Alloy J-STD-020 MSI		Rating	Peak Process Body Temper		ody Temperatu	ature Max Time at Peak Te		Temperat	ure Nu	mber of Reflo	ow Cycles		
	Matte Tin (Sn) - annealed		CU Alloy 4			260		C	30		seconds 3					
omments	3															
or more	information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).												
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information is true and correction that such information is true and correction to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.												
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the							

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

omogeneous Material Weight Unit of Me		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.266	mg	В	Gallium Arsenide (AsGa)	1303-00-0		0.047	mg	
			Supplier	Silicon (Si)	7440-21-3		0.219	mg	
Die Attach	0.003	_	Supplier	Silver (Ag)	7440-22-4		0.0026	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.0004	mg	
Lead Frame	47.571		Supplier	Titanium Dioxide (TiO2)	13463-67-7		0.0904	mg	
			Supplier	Silver (Ag)	7440-22-4		1.0703	mg	
			Supplier	Fiber Glass (SiO2)	65997-17-3		0.4805	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0048	mg	
			Supplier	Polyphthalamide	27135-32-6		0.6375	mg	
			Supplier	Copper (Cu)	7440-50-8		45.2876	mg	
Resin Encapsulaltion	0.052	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.052	mg	
Wire Bond - Au	0.001	mg	Supplier	Gold (Au)	7440-57-5		0.001	mg	