	IPC Web Site for Info http://www.ipc.org/l	IPC-175x			Form Type * Distribute	11.		aration Class * 6 - RoHS Yes/No	o, Homogeneous Materia	als and Mfg Informa	ation			
ompany name* asemi ontact Name	mation		Company un	nique ID		11.								
semi Ontact Name			Company un	ique ID		T								
ontact Name					Company unique ID			rity		Response Date*				
							1				2025-06-02			
		Contact Name T				Phone -	Phone - Contact*			Email - Contact*				
Product-Env-Stewards Pro				Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
•			Title - Repre	- Representative uct Enviro Compliance		Phone -	1			Email - Representative* Product-Env-Stewards@onsemi.com				
			Product Envi			NA								
Reques	ster Item Number	Mfr Item Number		Mfr Item Name		Effecti	ive Date	Version	Manufacturing Site	Weight*	UOM	Unit Type		
RHR		RHRP156	RP1560-F102 HFR TO2202L PN 1		15A 4-600V	2025-0	06-02	CPA		1978.421	mg	Each		
	g Process Informat			A11	CTD 020 MCL Dadie		- l- D	P. J. T.	Mar Time at Deale	TN	along of Deflace Co			
	, , , , , , , , , , , , , , , , , , ,				STD-020 MSL Rating		eak Proces	k Process Body Temperature Max Time at Peak						
•	in (5n) - annealed	C	U Alloy	N.	A	0		<u> </u>	30	seconds 3				
omments														
• •	tion regarding material (•.•	1 6 4											

RoHS Material Composition Declaration			Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).								
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications right and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.									
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	astislav Drska	-En							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	2.81	mg	Supplier	Silicon (Si)	7440-21-3		2.81	mg
Die Attach Solder	1.111	mg	Supplier	Silver (Ag)	7440-22-4		0.0278	mg
			A	Lead (Pb)	7439-92-1	7a	1.0277	mg
			Supplier	Tin (Sn)	7440-31-5		0.0555	mg
Lead Frame	1444.76	mg	В	Nickel (Ni)	7440-02-0		14.3031	mg
			Supplier	Iron (Fe)	7439-89-6		2.1527	mg
			Supplier	Copper (Cu)	7440-50-8		1427.004	mg
			Supplier	Phosphorus (P)	7723-14-0		1.3002	mg
Mold Compound-Black	518.4	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		103.68	mg
			Supplier	Carbon Black (C)	1333-86-4		5.184	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		409.536	mg
Plating	8.9	mg	Supplier	Tin (Sn)	7440-31-5		8.9	mg
Wire Bond - Al	2.44	mg	Supplier	Aluminum (Al)	7429-90-5		2.44	mg