IPC ASSOCIATION CO	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under be international and Pan-American copyright conventions.				der both	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
1752-21.1		IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x Form Typ Distribute								rials and M	ials and Mfg Information				
Supplier I	nformation														
Company name*			Company unique ID			τ	Unique ID Authority				Respon	Response Date*			
nsemi											2025-00	2025-06-03			
Contact Nam	ne	Title - Contact			1	Phone - Contact*				Email -	Email - Contact*				
Product-Env	v-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative]	Phone - Representative*				Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
R	Requester Item Number Mfr Iter		n Number Mfr Item Name				Effective Dat	te Vers	ion	Manufacturing Site		Weight*	UOM	Unit Type	
	S115FP 150V		150V 1A Schottky	50V 1A Schottky Recti		2025-06-03			TSCBE		21.80046	mg	Each		
Manufactu	uring Proccess Informa	tion													
Terminal Plating / Grid Array Material Terminal Plating / Grid Array Material			erminal Base Alloy J-STD-020 MSI		SL Rating	Peak Process Body Temper		ly Temperatu	ature Max Time at Peak Tem		ture Numb	er of Reflow Cyc	eles		
Matte Tin (Sn) - annealed CU Alloy 1					260		C	30	seco	nds 3					
Comments															
vel 1 - maxi	imum time at peak temperati	are during sol	dering is 10-3	0 seconds											
or more inf	formation regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominal contains a RoHS restricted substance inexcess encompass all such components. Supplier certi as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided by certification in this paragraph. If the Company	ted biphenyls and/or polybrominated dipheny of an applicable quantity limit, please indicate fies that it gathered the information it provident. Supplier acknowledges that Company will we relied on information provided by others in the supplier agrees that, at a minimum and the Supplier enter into a written agreements ource of the Supplier's liability and the Com-	2011/65/EU and implemented by the laws of the End ethers (each a "RoHS restricted substance") in except the below which, if any, RoHS exemption you believe in this form using appropriate methods to ensure rely on this certification in determining the compliant completing this form, and that Supplier may not have its suppliers have provided certifications regarding ent with respect to the identified part, the terms and capany's remedies for issues that arise regarding information in the content of the content with the supplier of the content	sess of the applicable quantity limit identified able may apply. If the part is an assembly with low its accuracy and that such information is true annee of its products with European Union member ave independently verified such information. However, their contributions to the part, and those certifications of that agreement, including any warr	bove. If a homogeneous material within the part ver level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. It is involved in situations where Supplier has not ations are at least as comprehensive as the ranty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted substance	s per the definition above except for selected exemp	tions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		Accepted" on the Supplier Acceptance drop-dow	n. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	astislav Drska	-En								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	1.3299	mg	Supplier	Iron (Fe)	7439-89-6		0.0013	mg
			Supplier	Copper (Cu)	7440-50-8		1.3282	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0004	mg
Die	2.022	mg	Supplier	Titanium (Ti)	7440-32-6		0.003	mg
			Supplier	Silver (Ag)	7440-22-4		0.0752	mg
			Supplier	Silicon (Si)	7440-21-3		1.9251	mg
			В	Nickel (Ni)	7440-02-0		0.0186	mg
Die Attach Solder	0.41096	mg	Supplier	Silver (Ag)	7440-22-4		0.0103	mg
			A	Lead (Pb)	7439-92-1	7a	0.3801	mg
			Supplier	Tin (Sn)	7440-31-5		0.0205	mg
Lead Frame	12.3086	mg	Supplier	Iron (Fe)	7439-89-6		0.0123	mg
			Supplier	Copper (Cu)	7440-50-8		12.2926	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0037	mg
Mold Compound-Black	5.7288	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.5757	mg
-			Supplier	Carbon Black (C)	1333-86-4		0.0286	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		4.8953	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2292	mg
Plating	2.0E-4	mg	Supplier	Tin (Sn)	7440-31-5		0.0002	mg